

Feed additives: May–July 2025 authorisations, reauthorisations, withdrawals, and changes

Published by AGRINFO on 06 Aug 2025

EU authorises/reauthorises certain feed additives and withdraws others

Commission Implementing Regulations <u>2025/757</u>, <u>2025/1254</u>, <u>2025/1386</u>, <u>2025/1390</u>, <u>2025/1391</u>, <u>2025/1392</u>, <u>2025/1395</u>, <u>2025/1400</u>, <u>2025/1402</u>, <u>2025/1403</u>, <u>2025/1417</u>, <u>2025/1418</u>, <u>2025/1419</u>, <u>2025/1423</u>, <u>2025/1424</u>, <u>2025/1426</u>, <u>2025/1465</u>, <u>2025/1468</u>, <u>2025/1504</u>, <u>2025/1523</u>, <u>2025/1527</u>

Notifications G/SPS/N/EU/857, G/SPS/N/EU/858, G/SPS/N/EU/863

Update

Overview of the latest authorisations of feed additives and their use in animal nutrition in target animals.

What is changing?

Authorisations

In May–July 2025, the European Union (EU) authorised the feed additives listed in Table 1, based on opinions published by the European Food Safety Authority (EFSA; see Resources). The conditions of use are described in the respective Regulations.

Reauthorisations

In May–July 2025, the EU renewed authorisations for the feed additives listed in Table 2, based on opinions published by EFSA (see Resources). The conditions of use are described in the respective Regulations.

The European Commission has informed the World Trade Organization Sanitary and Phytosanitary Measures (WTO SPS) Committee that it intends to renew the authorisation for eucalyptus tincture from *Eucalyptus globulus* as a flavouring compound in feed intended for food-producing animals listed in the draft <u>Annex</u> to <u>G/SPS/N/EU/857</u>. It also intends to renew the authorisation for celery seed essential oil for the food-producing animals listed in the draft <u>Annex</u> to <u>G/SPS/N/EU/858</u>.

Corrections and amendments





- Regulation 2025/1391 corrects Regulation 2024/1186 regarding the methyleugenol concentration in cinnamon bark essential oil, which should not exceed 0.004%.
- Regulation 2025/1395 amends and corrects Regulation 2020/997 regarding the feed additive L-lysine base (liquid) produced with Corynebacterium glutamicum NRRL B-67439 or with C. glutamicum NRRL B-67535 for all animal species (authorised until 30 July 2030).
- Regulation 2025/1419 amends Regulations 2020/148, 2021/2094, and 2023/1172 regarding a name change of authorisation holder for the feed additives decoquinate (Deccox and Avi-Deccox 60G), robenidine hydrochloride (Robenz 66G), and a preparation of lasalocid A sodium (Avatec 150 G).
- Regulation 2025/1423 amends Regulation 684/2014 regarding the preparation of canthaxanthin produced by fermentation with Yarrowia lipolytica CBS 146148 as a feed additive for breeder hens.
- Regulation 2025/1426 amends Regulation 2020/149 by modifying the authorisation of a preparation of Saccharomyces cerevisiae CNCM I-1077 as a feed additive for lambs.

Withdrawals

The European Commission has informed the WTO SPS Committee that it intends to withdraw eucalyptus tincture and celery seed essential oil as flavouring compounds in feed for certain animal species or categories. It intends to withdraw a range of other feed additives listed in the draft Annex to G/SPS/N/EU/863, either for all animal species and categories (Part 1) or for specific (Part 2) species and categories.

For feed additives that were previously authorised without a time limit but now are withdrawn from the market, a transitional period applies.

Why?

Applications for the above authorisations were submitted and considered by the Reference Laboratory set up by the Feed Additives Regulation (1831/2003). That Regulation also requires feed additives to be withdrawn from the market if no application has been submitted before the deadline provided, or if an application was submitted but subsequently withdrawn. In cases where applications have been submitted or withdrawn only for certain animal species or categories, the withdrawal only concerns those species and categories specified.

Timeline

The authorisations remain valid until the end dates listed in Tables 1 and 2.





Transitional period for withdrawals:

- existing stocks, 12 months
- premixtures, 15 months
- compound feed, 24 months.

What are the major implications for exporting countries?

With these authorisations, more feed additives will be available on the market. Authorisations and renewals are valid for 10 years. The use of all preparations and substances specified as feed additives must comply with the provisions of use specified in the Annex to each Regulation.

Recommended Actions

Non-EU countries producing feed additives, compound feed, and feed materials for export to the EU are recommended to check the status of additives in the EU Feed Additives register.

To be able to filter and to see more information, it is advised to download the register in Excel (see <u>Food and Feed Information Portal</u>: Feed Additives > Download Register in Excel format).

Background

The procedure for authorising the placing on the market and use of feed additives is set out in Regulation <u>1831/2003</u>.

Resources

EU Feed Additives register

Regulation 1831/2003 on additives for use in animal nutrition

EFSA (2013a) <u>Scientific opinion on the safety and efficacy of CAROPHYLL® Red 10%</u> (preparation of canthaxanthin) for all poultry for breeding purposes (chickens, turkeys and other poultry). EFSA Journal, 11(1): 3047.

EFSA (2013b) <u>Scientific Opinion on the safety and efficacy of *Enterococcus faecium* (NCIMB 10415, DSM 22502, ATCC 53519 and ATCC 55593) as silage additives for all animal species. EFSA Journal, 11(10): 3363.</u>





EFSA (2021a) <u>Safety and efficacy of the feed additive consisting of Vitamin B2/Riboflavin produced by Eremothecium ashbyiCCTCCM 2019833 for all animal species (Hubei Guangji Pharmaceutical Co., Ltd. EFSA Journal, 19(3): 6462.</u>

EFSA (2021b) <u>Safety and efficacy of a feed additive consisting on the bacteriophages PCM F/00069</u>, PCM F/00070, PCM F/00071 and PCM F/00097 infecting <u>Salmonella Gallinarum B/00111 (Bafasal®) for all avian species (Proteon Pharmaceuticals S.A.)</u>. EFSA Journal, 19(5): e6534.

EFSA (2022a) <u>Safety and efficacy of a feed additive consisting of sepiolite for all animal species</u> (Sepiol S.A and Tolsa, S.A). EFSA Journal, 20(4): 7250.

EFSA (2022b) <u>Assessment of the efficacy of two feed additives consisting of Enterococcus faecium ATCC 53519 and E. faecium ATCC 55593 for all animal species (FEFANA asbl)</u>. EFSA Journal, 20(10): e7603.

EFSA (2022c) <u>Safety and efficacy of a feed additive consisting of 3-phytase produced by Komagataella phaffii (CECT 13171) (FSF10000/FLF1000) for poultry species, pigs for fattening and minor porcine species (FERTINAGRO BIOTECH S.L.)</u>. EFSA Journal, 20(11): e7614.

EFSA (2023a) <u>Safety and efficacy of a feed additive consisting of the bacteriophages PCM F/00069</u>, PCM F/00070, PCM F/00071 and PCM F/00097 (Bafasal®) for all avian species (<u>Proteon Pharmaceuticals S.A.</u>). EFSA Journal, 21(3): e7861

EFSA (2023b) Efficacy of the feed additives consisting of *Enterococcus faecium* ATCC 53519 and *E. faecium* ATCC 55593 for all animal species (FEFANA asbl). EFSA Journal, 21(7): e8166.

EFSA (2024a) <u>Safety and efficacy of a feed additive consisting of an essential oil obtained from the fruit of Carum carvi L. (caraway oil) for all animal species (FEFANA asbl)</u>. EFSA Journal, 22(7): e8906.

EFSA (2024b) <u>Safety and efficacy of a feed additive consisting of an essential oil obtained from the fruit of Apium graveolensL.</u> (celery seed oil) for all animal species (FEFANA asbl). EFSA Journal, 22(7): e8907.

EFSA (2024c) <u>Safety and efficacy of a feed additive consisting of a tincture derived from the leaves of Eucalyptus globulusLabill.</u> (eucalyptus tincture) for all animal species (FEFANA asbl). EFSA Journal, 22(5): e8801.

EFSA (2024d) <u>Safety of a feed additive consisting of sepiolite for all animal species (Sepiol S.A.</u> and Tolsa S.A.). EFSA Journal, 22(6): e8850.

EFSA (2024e) Modification of the terms of authorisation regarding the additive consisting of liquid L-lysine base produced with *Corynebacterium glutamicum* NRRL B-67439 and NRRL B-67535 for all animal species (ADM specialty ingredients (Europe) B.V.). EFSA Journal, 22(7):





EFSA (2024f) <u>Safety and efficacy of a feed additive consisting of an essential oil derived from the leaves of Salvia officinalis ssp. lavandulifolia (Vahl) Gams (Spanish sage oil) for use in all animal species (FEFANA asbl)</u>. EFSA Journal, 22(10): e9015.

EFSA (2024g) <u>Safety and efficacy of a feed additive consisting of an essential oil derived from the flowering stems of Salvia sclarea L.</u> (clary sage oil) for use in all animal species (FEFANA <u>asbl</u>). EFSA Journal, 22(11): e9016.

EFSA (2024h) <u>Safety and efficacy of a feed additive consisting of Bacillus subtilis DSM 33862</u> and <u>Lentilactobacillus buchneri DSM 12856</u> as a silage additive for all animal species (<u>Lactosan GmbH & Co.KG</u>). EFSA Journal, 22(11): e9070.

EFSA (2024i) <u>Safety and efficacy of a feed additive consisting of an essential oil derived from the flowering tops of Lavandula angustifolia Mill.</u> (lavender oil) for use in all animal species (FEFANA asbl). EFSA Journal, 22(11): e9017.

EFSA (2024j) <u>Safety and efficacy of a feed additive consisting of an essential oil derived from the flowering tops of *Thymbra capitata* (L.) Cav. (Spanish type origanum oil) for use in all animal <u>species (FEFANA asbl)</u>. EFSA Journal, 22(10): e9018.</u>

EFSA (2024k) <u>Safety of a feed additive consisting of 3-phytase produced with *Komagataella phaffii* CECT 13171 (FSF10000/FLF1000) for poultry species, pigs for fattening and minor porcine species for fattening (Fertinagro Biotech S.L.). EFSA Journal, 22(10): e9023.</u>

EFSA (2024l) <u>Safety and efficacy of a feed additive consisting of endo-1,4-β-xylanase produced</u> <u>with *Trichoderma reesei* CBS 114044 (ECONASE® XT) for pigs for fattening, laying hens and minor poultry species (AB Enzymes Finland Oy). EFSA Journal, 22(10): e9025.</u>

EFSA (2024m) <u>Safety and efficacy of a feed additive consisting of an essential oil derived from leaves and terminal branchlets of *Melaleuca alternifolia* (Maiden & Betche) Cheel (tea tree oil) for <u>use in all animal species</u> (FEFANA asbl). EFSA Journal, 22(10): e9026.</u>

EFSA (2024n) <u>Safety of a feed additive consisting of vitamin B2/riboflavin produced with Eremothecium ashbyi CCTCCM 2019833 for all animal species (Hubei Guangji Pharmaceutical Co., Ltd)</u>. EFSA Journal, 22(11): e9073.

EFSA (2024o) <u>Assessment of the modification of the authorisation of the feed additive consisting of Saccharomyces cerevisiaeCNCM I-1077 for lambs and its extension of use to all ruminants and camelids reared for milk production/suckling/reproduction, all minor (young) ruminant species and camelids for fattening and Equidae other than horses (Lallemand SAS). EFSA Journal, 22(11): e9075.</u>



EFSA (2024p) Safety and efficacy of a feed additive consisting of the bacteriophages PCM F/00069, PCM F/00070, PCM F/00071 and PCM F/00097 (Bafasal®) for all poultry (Proteon Pharmaceuticals S.A.). EFSA Journal, 22(12): e9132.

EFSA (2024q) <u>Assessment of the feed additive consisting of Lactiplantibacillus plantarum NCIMB 40027 for all animal species for the renewal of its authorisation (Volac International Itd)</u>. EFSA Journal, 22(12): e9145.

EFSA (2024r) <u>Safety and efficacy of a feed additive consisting of an essential oil derived from the leaves of Salvia officinalis L. (sage oil) for use in all animal species (FEFANA asbl)</u>. EFSA Journal, 22(12): e9135.

EFSA (2024s) <u>Safety and efficacy of a feed additive consisting of Lactiplantibacillus plantarum</u> <u>NCIMB 41028 for all animal species (Genus Breeding Ltd.)</u>. EFSA Journal, 22(12): e9142.

EFSA (2024t) <u>Safety and efficacy of a feed additive consisting of Lactiplantibacillus plantarum</u> <u>NCIMB 30148 for all animal species (Genus Breeding Ltd.)</u>. EFSA Journal, 22(12): e9143.

EFSA (2024u) Efficacy of the feed additives consisting of Enterococcus faecium ATCC 53519 and E. faecium ATCC 55593 as silage additives for all animal species (FEFANA asbl). EFSA Journal, 22(11): e9071.

EFSA (2025a) <u>Safety and efficacy of a feed additive consisting of an essential oil derived from the aerial parts of *Mentha* × *piperita* L. (peppermint oil) for use in all animal species (FEFANA asbl). EFSA Journal, 23(1): e9076.</u>

EFSA (2025b) <u>Safety and efficacy of a feed additive consisting of Lactiplantibacillus plantarum</u> <u>NCIMB 30094 for all animal species (Volac International Ltd)</u>. EFSA Journal, 23(1): e9144.

EFSA (2025c) Modification of the terms of authorisation of the feed additive consisting of a preparation of canthaxanthin (CAROPHYLL® Red 10%) for breeder hens to include canthaxanthin produced with Yarrowia lipolytica CBS 146148 (DSM Nutritional Products Ltd). EFSA Journal, 23(1): e9133.

EFSA (2025d) <u>Assessment of the feed additive consisting of biotin for all animal species for the renewal of its authorisation (ADISSEO, DSM Nutritional Products Ltd., NHU Europe GmbH)</u>. EFSA Journal, 23(2): e9250.

EFSA (2025e) Assessment of the feed additive consisting of endo-1,3(4)-beta-glucanase and endo-1,4-beta-xylanase (produced with *Talaromyces versatilis* IMI CC 378536) (Rovabio® Excel) for all poultry species, weaned piglets, pigs for fattening and sows for the renewal of its authorisation (Adisseo France SAS). EFSA Journal, 23(1): e9131.





Sources

Commission Implementing Regulations <u>2025/757</u>, <u>2025/1254</u>, <u>2025/1386</u>, <u>2025/1390</u>, <u>2025/1391</u>, <u>2025/1392</u>, <u>2025/1395</u>, <u>2025/1400</u>, <u>2025/1402</u>, <u>2025/1403</u>, <u>2025/1417</u>, <u>2025/1418</u>, <u>2025/1419</u>, <u>2025/1423</u>, <u>2025/1424</u>, <u>2025/1426</u>, <u>2025/1465</u>, <u>2025/1468</u>, <u>2025/1504</u>, <u>2025/1523</u>, 2025/1527

Notifications G/SPS/N/EU/857, G/SPS/N/EU/858, G/SPS/N/EU/863

Visit the <u>AGRINFO website</u> to view the latest AGRINFO Update newsletters and <u>search</u> the database.



Table & Figures

Table 1 New authorisations of feed additives (May-July 2025) End date[1] Regulation Additive Use **Target** 2025/1254 Riboflavin from Vitamins, pro-All animal species 16 Jul 2035 Eremothecium ashbyi vitamins and similar CCTCCM 2019833 2025/1386 Endo-1,4-beta-xylanase from Digestibility Pigs (fattening), 5 Aug 2035 Trichoderma reesei enhancer hens (laying), minor CBS 114044 poultry species 2025/1390 Bacteriophages PCM F/00069, Other zootechnical Poultry PCM F/00070, PCM F/00071, additives PCM F/00097 2025/1392 3-phytase from Komagataella Digestibility Poultry, minor phaffii CECT 13171 enhancer poultry, turkey (breeding, laying, fattening); pigs (all Suidae) (fattening) 2025/1426 Saccharomyces cerevisiae Digestibility Ruminants 7 Aug 2035 enhancer, gut flora **CNCM I-1077** (fattening) other stabiliser than calves and lambs; camelids (milk production, reproduction); camelid calves (fattening); Equidae (other than horses) 2025/1468 Bacillus subtilis DSM 33862 Silage additives All animal species 12 Aug 2035 and Lentilactobacillus buchneri DSM 12856 2025/1523 Lactiplantibacillus plantarum 18 Aug 2035 NCIMB 30094 2025/1527 L. plantarum NCIMB 41028 19 Aug 2035 and L. plantarum NCIMB 30148

^[1] Authorisations/reauthorisations remain valid for 10 years from entry into force until the date given in the column "End date".



Source: based on Regulations <u>2025/1254</u>, <u>2025/1386</u>, <u>2025/1390</u>, <u>2025/1392</u>, <u>2025/1426</u>, <u>2025/1468</u>, <u>2025/1504</u>, <u>2025/1523</u>, <u>2025/1527</u>





Table 2 Renewed authorisations of feed additives (May–July 2025)				
Regulation	Additive	Use	Target	End date ^[1]
2025/757	Sepiolite	Binder and anticaking agent	All animal species	12 May 2035
2025/1400	Peppermint essential oil	Flavouring compounds	All animal species	6 Aug 2035
2025/1402	Tea tree essential oil			
2025/1403	Spanish sage essential oil			
2025/1417	Spanish type origanum essential oil from <i>Thymbra capitata</i>	Flavouring compounds	All animal species	7 Aug 2035
2025/1418	Endo-1,3(4)-beta-glucanase (EC 3.2.1.6), endo-1,4-beta- xylanase (EC 3.2.1.8) from <i>Talaromyces versatilis</i> IMI CC 378536	Digestibility enhancer	Pigs (fattening, sows), piglets (weaned), poultry	7 Aug 2035
2025/1424	Biotin and two preparations of biotin	Vitamins, pro- vitamins and similar	All animal species	7 Aug 2035
2025/1465	Enterococcus faecium ATCC 53519 and E. faecium ATCC 55593	Silage additives	All animal species	12 Aug 2035
2025/1504	Lactobacillus plantarum NCIMB 40027			17 Aug 2035
[1] Authorisations/reauthorisations remain valid for 10 years from entry into force until the date given in the column "End				

date".



Source: based on Regulations 2025/757, 2025/1400, 2025/1402, 2025/1403, 2025/1417, 2025/1418, 2025/1424,2025/1465, 2025/1504

Disclaimer: Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.

