Maximum levels of arsenic in certain foods

Published by AGRINFO on 14 Dec 2022; Revised 20 Mar 2023

For more information see the full record on the AGRINFO website – where you can also view the latest AGRINFO Update newsletters and search the database.

Copyright © **COLEAD 2026,** *AGRINFO is funded by the European Union and implemented by COLEAD.*

Tables & Figures

Table 1 Maximum levels of arsenic in certain foods		
Foodstuffs	Arsenic (inorganic) maximum level (mg/kg wet weight)	
	New	Current
Cereals and cereal based products		
Non-parboiled milled rice (polished or white rice)	0.15	0.20
Parboiled and husked rice	0.25	0.25
Rice flour	0.25	–
Rice waffles, rice wafers, rice crackers, rice cakes, rice flakes and popped breakfast rice	0.30	0.30
Rice destined for the production of food for infants and young children	0.10	0.10
Non-alcoholic rice–based drinks	0.030	–
Infant formulae, follow–on formulae, foods for special medical purposes intended for infants and young children, and young child formulae		
• marketed as powder	0.020	–
• marketed as liquid	0.010	–
Baby foods	0.020	–
Fruit juices, concentrated fruit juices as reconstituted, fruit nectars	0.020	–
Salt	Arsenic (total) (mg/kg wet weight)	
	New	Current
	0.50	–
AGRINFO www.agrinfo.eu		

Source: based on Regulation 2023/465

Disclaimer: *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information*

Copyright © **COLEAD 2026,** *AGRINFO is funded by the European Union and implemented by COLEAD.*

available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.

Copyright © **COLEAD 2026,** *AGRINFO is funded by the European Union and implemented by COLEAD.*