

Maximum levels of dioxins and PCBs

Published by AGRINFO on 30 Jan 2023

For more information see the [full record](#) on the AGRINFO website – where you can also view the latest [AGRINFO Update](#) newsletters and [search](#) the database.

Tables & Figures

Table 1
Maximum levels of dioxins and PCBs

Foodstuffs	Maximum levels		
	Sum of dioxins	Sum of dioxins and dioxin-like PCBs	Sum of PCB28, PCB52, PCB101, PCB138, PCB153 and PCB180
	(pg/g fat)	(pg/g fat)	(ng/g fat)
Meat and meat products (excluding edible offal) of the following animals:			
• bovine, ovine and caprine animals	2.5	4.0	40
• poultry	1.75	3.0	40
• pigs	1.0	1.25	40
• horse	5.0	10.0	
• rabbit	1.0	1.5	
• wild boar (<i>Sus scrofa</i>)	5.0	10.0	
• wild game birds	2.0	4.0	
• venison	3.0	7.5	
Raw milk and dairy products, including butter fat	2.0	4.0	40
Poultry eggs and egg products, except goose eggs	2.5	5.0	40
	(pg/g wet weight)	(pg/g wet weight)	(ng/g wet weight)
Liver of bovine and caprine animals, poultry, pigs and horse, and derived products	0.30	0.5	3.0
Liver of ovine animals and derived products	1.25	2.0	3.0
Liver of wild game birds	2.5	5.0	

Source: based on Commission Regulation (EU) 2022/2002

 **AGRINFO**
www.agrinfo.eu

Disclaimer: *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.*