

Maximum residue level for difenoconazole

Published by AGRINFO on 17 Mar 2025; Revised 06 Oct 2025

EU discusses MRLs and import tolerances for difenoconazole on various products

<u>Draft</u> Commission Regulation amending Annex II and III to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for difenoconazole in or on certain products [download]

Draft Annex II [download]

Update

The European Union (EU) is discussing its review of the maximum residue levels (MRLs) for difenoconazole. This includes lowering the MRLs to the to the limit of determination (LOD) for certain products where information from the European Food Safety Authority was not sufficient to rule out risks for consumers. (The LOD is the lowest level that can be detected using the most modern and reliable analytical methods.)

For citrus fruits, tree nuts, mangoes, papayas, dry peas, and soyabeans, where proposed MRLs are not considered to be a concern for consumer safety, import tolerances are being discussed.





Impacted products

Almonds, Brazil nuts, cashew nuts, chestnuts, coconuts, hazelnuts/cobnuts, macadamias, pecans, pine kernels, pistachios, walnuts, apples, pears, quinces, medlars, loquats/Japanese medlars, cherries (sweet), plums, cranberries, azaroles/Mediterranean medlars, currants, dewberries, elderberries, gooseberries, rose hips, mulberries, American persimmons/Virginia kaki, carambolas, dates, figs, jambuls/jambolans, litchis/lychees, star apples/cainitos, kaki/Japanese persimmons, mangoes, papayas, breadfruits, cherimoyas, durians, granate apples/pomegranates, pineapples, soursops/guanabanas, guavas, passionfruits/maracujas, potatoes, sweet potatoes, cassava roots/manioc, yams, arrowroots, garlic, onions, shallots, aubergines/eggplants, sweetcorn, broccoli, cauliflowers, Chinese cabbages/pe-tsai, kales, kohlrabies, Roman rocket/rucola, spinaches, purslanes, chards/beet leaves, grape leaves, watercresses, witloofs/Belgian endives, celery leaves, chervil, parsley, basil and edible flowers, beans and peas, lentils, asparagus, cardoons, celeries, bamboo shoots, palm hearts, fungi, mosses and lichens, algae and prokaryotes, lentils, lupins/lupini beans, linseeds, mustard seeds, castor beans, hemp seeds, peanuts/groundnuts, pumpkin seeds, sesame seeds, soyabeans, cotton seeds, borage seeds, oil palm kernels, oil palm fruits, kapok, buckwheat and other pseudocereals, common millet/proso millet, maize/corn, sorghum, rye, wheat, oats, teas, valerian, ginseng, anise/aniseed, black caraway/black cumin, celery, coriander, cumin, dill, fennel, fenugreek, nutmeg, allspice/pimento, Sichuan pepper, caraway, cardamom, juniper berry, peppercorn, vanilla, tamarind, capers, cinnamon, cloves, mace, saffron, liquorice, turmeric/curcuma, sugar canes

What is changing?

The EU is discussing amending the MRLs for difenoconazole as summarised in Table 1.

For citrus fruits, tree nuts, mangoes, papayas, dry peas, and soyabeans, where proposed MRLs are not considered to be a concern for consumer safety (<u>EFSA 2025</u>), import tolerances are being discussed. <u>EFSA (2024)</u> also recommended lowering the MRLs for potatoes, sweet potatoes, aubergines, chards, cardoons, and celeries, and derived safe MRLs for certain other crops based on good agricultural practices (GAPs).

Why?

In 2024, <u>EFSA (2024)</u> published a reasoned opinion on the MRLs for difenoconazole. It also proposed a new residue definition for "difenoconazole – alcohol (CGA205375), expressed as difenoconazole" applicable to animal products, based on the results of studies on difenoconazole residues in livestock.





In October 2024, the EU raised the MRL for difenoconazole on rye and wheat from 0.1 to 0.3 mg/kg following an application to modify MRLs on these crops, based on <u>EFSA's (2023)</u> conclusion that the modifications were acceptable for consumer safety.

A minor correction to Regulation 2024/2612 was published in February 2025.

MRLs are set in accordance with the rules set out in Regulation <u>396/2005</u>. For information on current MRLs for other substances, please consult the <u>EU Pesticide Residues database</u>.

Timeline

This Regulation is under discussion and is expected to be adopted in 2026.

Background

MRLs are set in accordance with the rules set out in Regulation <u>396/2005</u>. For information on current MRLs for other substances, please consult the <u>EU Pesticide Residues database</u>.

Resources

EFSA (2023) Modification of the existing maximum residue levels for difenoconazole in wheat and rye. EFSA Journal, 21(8): 8207.

EFSA (2024) Review of the existing maximum residue levels for difenoconazole according to Article 12 of Regulation (EC) No396/2005. EFSA Journal, 22: e8987.

EFSA (2025) <u>Setting of import tolerances for difenoconazole in various crops</u>. EFSA Journal, 23: e9472.

Regulation (EU) <u>2024/2612</u> as regards maximum residue levels for chitosan, clopyralid, difenoconazole, fat distillation residues, flonicamid, hydrolysed proteins, and lavandulyl senecioate in or on certain products, and <u>Corrigendum</u>.

Sources

<u>Draft</u> Commission Regulation as regards maximum residue levels for difenoconazole in or on certain products [download]

Draft Annex II [download]





Visit the <u>AGRINFO website</u> to view the latest AGRINFO Update newsletters and <u>search</u> the database.





Table & Figures

Food category	Products	Difenoconazole (mg/kg	
		Old MRL	New MRL
Tree nuts	Almonds, Brazil nuts, cashew nuts, chestnuts, coconuts, hazelnuts/cobnuts, macadamias, pecans, pine kernels, pistachios, walnuts	0.05*	0.03
Pome fruits	Apples, pears, quinces, medlars	0.8	0.4
	Loquats/Japanese medlars	0.8	0.6
Stone fruits	Cherries (sweet)	0.3	0.4
	Plums	0.5	0.4
	Cranberries	0.1	0.6
	Azaroles/Mediterranean medlars	0.8	0.01*
	Currants	0.2	0.01*
	Dewberries, elderberries, gooseberries, rose hips, mulberries	0.1	0.01*
Miscellaneous fruit	American persimmon/Virginia kaki, carambolas, dates, figs, jambuls/jambolans, litchis/lychees, star apples/cainitos	0.1	0.01*
	Kaki/Japanese persimmons	0.8	0.01*
	Mangoes	0.1	0.2
	Papayas	0.2	0.3
	Breadfruits, cherimoyas, durians, granate apples/pomegranates, pineapples, soursops/guanabanas	0.1	0.01*
	Guavas	0.1	0.15
	Passionfruits/maracujas	0.1	0.05
Root and tuber	Potatoes, sweet potatoes	0.1	0.07
vegetables	Cassava roots/manioc, yams, arrowroots	0.1	0.01*
Bulb vegetables	Garlic, onions, shallots	0.5	0.2
Fruiting vegetables	Aubergines/eggplants	0.6	0.5
	Sweetcorn	0.05*	0.01*
Brassica vegetables	Broccoli	1	0.7
	Cauliflowers	0.2	0.15
	Chinese cabbages/pe-tsai	2	3
	Kales	2	1.5
	Kohlrabies	0.05*	0.02
Leaf vegetables, herbs, and edible flowers	Roman rocket/rucola, spinaches	3	4
	Purslanes	3	2
	Chards/beet leaves	4	3
	Grape leaves and similar species	0.05*	0.01*
	Watercresses	0.5	0.01*
	Witloofs/Belgian endives	4	0.08
	Celery leaves, chervil, parsley	10	15
	Basil and edible flowers	10	4



	Continued		
Food	Products	Difenoconazole (mg/kg	
category		Old MRL	New MRL
Legume vegetables	Beans and peas (with pods)	1	0.7
	Beans and peas (without pods)	1	0.6
	Lentils	0.05*	0.01*
Stem vegetables	Asparagus	0.05*	0.03
	Cardoons, celeries	7	5
	Bamboo shoots, palm hearts	0.05*	0.01*
Fungi, mosses, and I	ichens	0.05*	0.01*
Algae and prokaryotic organisms		0.05*	0.01*
Pulses	Beans	0.06	0.05
	Lentils, lupins/lupini beans	0.06	0.04
Oilseeds	Linseeds, mustard seeds	0.2	0.5
	Castor beans, hemp seeds, peanuts/groundnuts, pumpkin seeds, sesame seeds	0.05*	0.01*
	Soyabeans	0.1	0.15
	Cotton seeds	0.05*	0.4
	Borage seeds	0.05*	0.5
Oil fruits	Oil palm kernels, oil palm fruits, kapok	0.05*	0.01*
Cereals	Buckwheat and other pseudocereals, common millet/proso millet, maize/corn, sorghum	0.05*	0.01*
	Oats	0.05*	0.02
Teas		0.05*	20
Herbal infusions	Valerian, ginseng	20	4
	Any parts of the plant except flowers, leaves, herbs, roots	20	0.05*
Spices	Anise/aniseed, black caraway/black cumin, celery, coriander, cumin, dill, fennel, fenugreek, nutmeg, allspice/pimento, Sichuan pepper, caraway, cardamom, juniper berry, peppercorn, vanilla, tamarind	0.3	0.15
	Capers, cinnamon, cloves, mace, saffron	0.3	0.05*
	Liquorice, turmeric/curcuma	3	1.5
Sugar plants	Sugar canes	0.05*	0.01*
Products of animal origin	Muscle of pigs, cattle, sheep, goats, and equine animals	0.05	0.08
	Fat of pigs, cattle, sheep, goats, and equine animals	0.05	0.2
	Muscle of other farmed terrestrial animals	0.1	0.08
	Fat of other farmed terrestrial animals	0.1	0.2
	Liver, kidney and edible offals of pigs, cattle, sheep, goats, and other farmed terrestrial animals	0.2	1.5
	Equine kidney and edible offals	0.2	1.5
	Poultry muscle, fat, liver	0.1	0.01*
	Milk (cattle, sheep, goat, horse)	0.005*	0.02
	Bird eggs (chicken, duck, geese, quail)	0.05*	0.03
	Amphibians and reptiles, terrestrial invertebrates, and wild terrestrial vertebrates	0.05*	0.01*

^{*} Limit of determination (LOD). MRLs reduced to the LOD are highlighted in bold type as the ones most likely to cause trade disruptions. Operators should pay attention to all MRL changes, as adaptions to good agricultural practices may be required.



Source: PLAN/2024/2476 DRAFT



Disclaimer: Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.