

# Maximum residue level for mepiquat

Published by AGRINFO on 04 Jun 2024

## EU raises MRL for mepiquat on oyster mushrooms

Commission Regulation (EU) [2024/1439](#) of 24 May 2024 amending Annexes II and III to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for fenazaquin, mepiquat and propamocarb in or on certain products

### Update

The EU has raised the maximum residue level (MRL) for mepiquat on oyster mushrooms.

### Impacted products

Oyster mushrooms

### What is changing?

The EU has raised the MRL for mepiquat on oyster mushrooms from 0.7 to 3 mg/kg.

### Why?

In 2019, MRLs for mepiquat on cultivated fungi and oyster mushrooms (Regulations [2019/50](#) and [2019/1791](#)) were set to address cross-contamination of untreated cultivated fungi with straw lawfully treated with mepiquat. A review was then undertaken of any new information submitted by 31 December 2022 ([EFSA 2024](#)).

The EU received an application for the MRLs for mepiquat on cultivated mushrooms and oyster mushrooms to be modified. Based on the monitoring data, for cultivated fungi [EFSA \(2024\)](#) concluded that the current MRL is sufficient and no modification is required. However, for oyster mushrooms EFSA recommended a higher MRL.

### Timeline

The new MRL applies from **16 June 2024**.

## Recommended Actions

It is important to continue monitoring mepiquat levels in cultivated fungi and oyster mushrooms so that data can be submitted to the Commission before 31 December 2030, after which a new review will be carried out.

## Background

MRLs are set in accordance with the rules set out in Regulation [396/2005](#). For information on current MRLs for other substances, please consult the [EU Pesticide Residues database](#).

## Resources

EFSA (2024) [Modification of the temporary maximum residue levels for mepiquat in cultivated fungi and oyster mushrooms](#). EFSA Journal, 22: e8476.

Regulation (EU) [2019/50](#) as regards maximum residue levels for chlorantraniliprole, clomazone, cyclaniliprole, fenazaquin, fencicoxamid, fluoxastrobin, lambda-cyhalothrin, mepiquat, onion oil, thiacloprid and valifenalate in or on certain products

Regulation (EU) [2019/1791](#) as regards maximum residue levels for 1-decanol, 2,4-D, ABE-IT 56, cyprodinil, dimethenamid, fatty alcohols, floupyrauxifen-benzyl, fludioxonil, fluopyram, mepiquat, pendimethalin, picolinafen, pyraflufen-ethyl, pyridaben, S-abscisic acid and trifloxystrobin in or on certain products

## Sources

Commission Regulation (EU) [2024/1439](#) as regards maximum residue levels for fenazaquin, mepiquat and propamocarb in or on certain products

Visit the [AGRINFO website](#) to view the latest AGRINFO Update newsletters and [search](#) the database.

**Disclaimer:** *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole*

*risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.*