Maximum residue level for mepiquat

Published by AGRINFO on 04 Jun 2024; Revised 04 Jul 2025

Regulation 2025/1164 as regards maximum residue levels for cyantraniliprole, cyflumetofen, deltamethrin, mefentrifluconazole, mepiquat and oxathiapiprolin in or on certain products

What is changing and why?

The EU has raised the maximum residue level (MRL) for mepiquat on grapes from 0.02 mg/kg (the limit of determination, LOD) to 5 mg/kg, in line with the Codex Alimentarius MRL (CXL). (The LOD is the lowest level that can be detected using the most modern and reliable analytical methods.)

The EU aligns MRLs with CXLs where they are not considered to be a concern for consumer safety.

Timeline

The new MRL applies from **6 July 2025**.

For more information see the full record on the AGRINFO website – where you can also view the latest AGRINFO Update newsletters and search the database.

Disclaimer: *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.*

Copyright © **COLEAD 2026,** *AGRINFO is funded by the European Union and implemented by COLEAD.*