

Maximum residue level for tefluthrin

Published by AGRINFO on 18 Jul 2025

Commission Regulation (EU) [2025/1305](#) as regards maximum residue levels for amidosulfuron, azoxystrobin, hexythiazox, isoxaben, picloram, propamocarb, sodium silver thiosulfate and tefluthrin in or on certain products

What is changing and why?

The European Union (EU) has raised the maximum residue level (MRL) for tefluthrin from 0.01 to 0.08 mg/kg on horseradishes, Jerusalem artichokes, parsnips, parsley roots, and salsifies.

A request to modify the MRL on certain roots and tubers was submitted using the fast-track procedure. Because the data supporting the MRL for carrots can be extrapolated to horseradishes, Jerusalem artichokes, parsnips, parsley roots, and salsifies, the request was accepted by the European Commission.

Timeline

The new MRLs apply from **23 July 2025**.

For more information see the [full record](#) on the AGRINFO website – where you can also view the latest [AGRINFO Update](#) newsletters and [search](#) the database.

Disclaimer: *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.*