

Maximum residue levels for abamectin

Published by AGRINFO on 14 Dec 2022

For more information see the [full record](#) on the AGRINFO website – where you can also view the latest [AGRINFO Update](#) newsletters and [search](#) the database.

Tables & Figures

| Table 1 Maximum residue levels for abamectin | | | |
|-------------------------------------------------|------------------------------------------------------------------------------------------------|--------------------------------|---------|
| Food category | Products | Abamectin ¹ (mg/kg) | |
| | | Old MRL | New MRL |
| Tree nuts | Almonds, hazelnuts/ cobnuts, walnuts | 0.02 | 0.01* |
| Pome fruits | Apples, pears | 0.03 | 0.006* |
| | Pears | 0.03 | 0.006* |
| | Quinces, medlars, loquats/ Japanese medlars | 0.03 | 0.02 |
| Berries and small fruits | Strawberries | 0.15 | 0.08 |
| | Avocados | 0.01* | 0.02 |
| | Papayas | 0.03 | 0.01* |
| Miscellaneous fruits | Avocados | 0.01* | 0.02 |
| | Papayas | 0.03 | 0.01* |
| Fruiting vegetables | Tomatoes | 0.09 | 0.015 |
| | Sweet peppers/ bell peppers | 0.07 | 0.03 |
| | Cucumbers, courgettes | 0.04 | 0.02 |
| Leaf vegetables, herbs and edible flowers | Lamb's lettuces/ corn salads | 2 | 0.08 |
| | Lettuces | 0.09 | 0.03 |
| | Escaroles/ broad-leaved endives | 0.1 | 0.01* |
| | Cresses and other sprouts and shoots, land cresses | 0.01* | 0.08 |
| | Roman rocket/ rucola | 0.015 | 0.08 |
| | Baby leaf crops (including brassica species) | 2 | 3 |
| | Lettuces other than the above or red mustard | 0.01* | 0.08 |
| | Purslanes, spinaches and similar leaves (other than spinaches, purslanes, chards/ beet leaves) | 0.01* | 0.1 |
| | Chervil, parsley | 2 | 0.03 |
| | Celery leaves | 0.09 | 0.03 |
| Legume vegetables | Beans (with pods), peas (with pods) | 0.03 | 0.08 |
| Stem vegetables | Florence fennels | 0.01* | 0.03 |
| Oilseeds | Cotton seeds | 0.01* | 0.02 |

* Limit of determination.
 1 Sum of avermectin B1a, avermectin B1b and delta 8,9 isomer of avermectin B1a, expressed as avermectin B1a.
 Shading indicates a decrease in MRL.


 www.agrinfo.eu

Source: based on Commission Regulation (EU) 2023/198

Disclaimer: *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.*