

Maximum residue levels for ametoctradin

Published by AGRINFO on 19 Aug 2026

Draft Commission Regulation as regards maximum residue levels for ametoctradin, cyflumetofen, diflufenican and milbemectin in or on certain products

Draft Annex (PLAN/2026/701 rev 0)

What is changing and why?

The European Union (EU) is discussing an increase in the MRLs for ametoctradin on certain animal products as summarised in Table 1. The European Food Safety Authority (EFSA) carried out a periodic review of the MRLs for ametoctradin and also reviewed an application to change the MRLs. EFSA concluded that the request for an increase in MRLs was supported by the data, and that the proposed MRLs are safe for consumers.

Timeline

The new MRLs are expected to apply from early 2027.

For more information see the [full record](#) on the AGRINFO website – where you can also view the latest [AGRINFO Update](#) newsletters and [search](#) the database.

Tables & Figures

Table 1: Maximum residue levels under discussion for ametoctradin

		Ametoctradin (mg/kg)	
Food category	Products	Current MRL	Proposed MRL
Products of animal origin:			
Swine	Liver	0.03*	0.04
Cattle	Liver	0.04	0.09
	Kidney	0.03*	0.04
Sheep	Liver	0.03*	0.05
	Kidney	0.03*	0.04
Goat	Liver	0.03*	0.05
	Kidney	0.03*	0.04
Horse	Liver	0.04	0.09
	Kidney	0.03*	0.04

* Limit of determination (LOD).

Source: based on [Draft](#) Annex (PLAN/2026/701 rev 0)

Disclaimer: Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.