

## Maximum residue levels for benfluralin

*Published by AGRINFO on 03 Apr 2025; Revised 23 Jan 2026*

EU lowers MRLs for benfluralin, with potential impact on salsifies

Commission Regulation (EU) [2026/147](#) of 22 January 2026 amending Annexes II and V to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for benfluralin, benthiavalicarb and penflufen in or on certain products

### Update

The European Union (EU) has lowered the maximum residue level (MRL) of benfluralin for salsifies to the limit of determination (LOD): from 0.05 to 0.01 mg/kg. (The LOD is the lowest level that can be detected using the most modern and reliable analytical methods.) For all other foods, the MRL was already set at the LOD, but these LODs are also lowered to reflect the development of more sensitive analytical methods.

## Impacted products

Grapefruits, oranges, lemons, limes, mandarins, almonds, Brazil nuts, cashew nuts, chestnuts, coconuts, hazelnuts, macadamias, pecans, pine nut kernels, pistachios, walnuts, apples, pears, quinces, medlars, loquats, apricots, cherries (sweet), peaches, plums, table grapes, wine grapes, strawberries, blackberries, dewberries, raspberries, blueberries, cranberries, currants (black, red, white), gooseberries, rose hips, mulberries (black and white), azaroles, elderberries, dates, figs, table olives, kumquats, carambolas, kaki/Japanese persimmons, jambolans, kiwi fruits, lychees, passionfruits, prickly pears, star apples, American persimmons, avocados, bananas, mangoes, papayas, pomegranates, cherimoyas, guavas, pineapples, breadfruits, durians, soursops, potatoes, cassava roots/manioc, sweet potatoes, yams, arrowroots, beetroots, carrots, celeriac, horseradishes, Jerusalem artichokes, parsnips, parsley roots, radishes, swedes/rutabagas, turnips, salsifies, garlic, onions, shallots, spring/green/Welsh onions, tomatoes, sweet/bell peppers, aubergines/eggplants, okra/lady's fingers, cucumbers, gherkins, courgettes, melons, pumpkins, watermelons, sweetcorn, broccoli, cauliflower, Brussels sprouts, head cabbages, Chinese cabbages/pe-tsai, kales, kohlrabis, lamb's lettuces/corn salads, lettuces, escaroles/broad-leaved endives, cresses and shoots, land cresses, rucola, red mustards, baby leaf crops, spinaches, purslanes, chards/beet leaves, grape leaves, watercresses, witloofs/Belgian endives, chervil, chives, celery leaves, parsley, sage, rosemary, thyme, basil and edible flowers, laurel/bay leaves, tarragon, beans (with pods), beans (without pods), peas (with pods), peas (without pods), lentils, asparagus, cardoons, celeries, Florence fennels, globe artichokes, leeks, rhubarbs, bamboo shoots, palm hearts, cultivated fungi, wild fungi, mosses and lichens, algae and prokaryotes, beans, lentils, peas, lupins/lupini beans, linseeds, peanuts/groundnuts, seeds of poppy, sesame, sunflower, rape/canola, mustard, cotton, pumpkin, safflower, borage, gold of pleasure, hemp; soyabean, castor beans, olives for oil production, oil palm kernels and fruits, kapok, barley, buckwheat and other pseudocereals, maize/corn, common millet/proso millet, oat, rice, rye, sorghum, wheat, teas, coffee beans, chamomile, hibiscus/rose, rose, jasmine, lime/linden, strawberry, rooibos, mate/maté, valerian, ginseng, cocoa beans, carobs, hops, aniseed, black cumin, celery, coriander, cumin, dill, fennel, fenugreek, nutmeg, allspice/pimento, Sichuan pepper, caraway, cardamom, juniper berry, peppercorn, vanilla, tamarind, cinnamon, liquorice, ginger, turmeric, horseradish, cloves, capers, saffron, mace, sugar beet roots, sugar canes, chicory roots, commodities from swine, cattle, sheep, goat, horse, poultry, other farmed terrestrial animals, milk (cattle, sheep, goat, horse), birds' eggs, amphibians and reptiles, terrestrial invertebrates, wild terrestrial vertebrates

## What is changing?

The EU has made the changes to MRLs for benfluralin as summarised in Table 1.

## Why?

As benfluralin is no longer approved for use in the EU, the EU has set all MRLs at the product-specific LODs. The LODs are updated by the European Commission to reflect the latest analytical methods on the advice of the EU Reference Laboratories for Residues of Pesticides.

## Timeline

The new MRLs apply from **12 August 2026**. For products imported before that date, the previous MRL applies.

## What are the major implications for exporting countries?

Exporters of salsifies should review their current use of benfluralin and evaluate possible alternative solutions.

## Background

MRLs are set in accordance with the rules set out in Regulation [396/2005](#). For information on current MRLs for other substances, please consult the [EU Pesticide Residues database](#).

## Sources

Commission Regulation (EU) [2026/147](#) as regards maximum residue levels for benfluralin, benthiavalicarb and penflufen in or on certain products

Visit the [AGRINFO website](#) to view the latest AGRINFO Update newsletters and [search](#) the database.

## Table & Figures

**Table 1**  
**Changes to benfluralin maximum residue levels**

Food category	Products	Benfluralin (mg/kg)	
		Former MRL	New MRL
Citrus fruits	Grapefruits, oranges, lemons, limes, mandarins	0.02*	0.01*
Tree nuts	Almonds, Brazil nuts, cashew nuts, chestnuts, coconuts, hazelnuts/cobnuts, macadamias, pecans, pine nut kernels, pistachios, walnuts	0.02*	0.01*
Pome fruits	Apples, pears, quinces, medlars, loquats/Japanese medlars	0.02*	0.01*
Stone fruits	Apricots, cherries (sweet), peaches, plums	0.02*	0.01*
Berries and small fruits	Table grapes, wine grapes, strawberries, blackberries, dewberries, raspberries (red and yellow), blueberries, cranberries, currants (black, red, white), gooseberries (green, red, yellow), rose hips, mulberries (black and white), azaroles/Mediterranean medlars, elderberries	0.02*	0.01*
Miscellaneous fruit	Dates, figs, table olives, kumquats, carambolas, kaki/Japanese persimmons, jambuls/jambolans, kiwi fruits (green, red, yellow), litchis/lychees, passionfruits/maracujas, prickly pears/cactus fruits, star apples/caimitos, American persimmons/Virginia kaki, avocados, bananas, mangoes, papayas, granate apples/pomegranates, cherimoyas, guavas, pineapples, breadfruits, durians, soursops/guanabanas	0.02*	0.01*
Root and tuber vegetables	Potatoes, cassava roots/manioc, sweet potatoes, yams, arrowroots, beetroots, carrots, celeriac/turnip rooted celeries, horseradishes, Jerusalem artichokes, parsnips, parsley roots/Hamburg root parsley, radishes, swedes/rutabagas, turnips	0.02*	0.01*
	Salsifies	0.05	0.01*
Bulb vegetables	Garlic, onions, shallots, spring onions/green onions and Welsh onions	0.02*	0.01*
Fruiting vegetables	Tomatoes, sweet peppers/bell peppers, aubergines/eggplants, okra/lady's fingers, cucumbers, gherkins, courgettes, melons, pumpkins, watermelons, sweet corn	0.02*	0.01*
Brassica vegetables	Broccoli, cauliflower, Brussels sprouts, head cabbages, Chinese cabbages/pe-tsai, kales, kohlrabis	0.02*	0.01*
Leaf vegetables	Lamb's lettuces/corn salads, lettuces, escaroles/broad-leaved endives, cresses and other sprouts and shoots, land cresses, Roman rocket/rucola, red mustards, baby leaf crops, spinaches, purslanes, chards/beet leaves, grape leaves, watercresses, witloofs/Belgian endives	0.02*	0.01*
Herbs and edible flowers	Chervil, chives, celery leaves, parsley, sage, rosemary, thyme, basil and edible flowers, laurel/bay leaves, tarragon	0.05*	0.01*

*Continued...*

**Table 1**  
Continued

Food category	Products	Benfluralin (mg/kg)	
		Existing MRL	Proposed MRL
Legume vegetables	Beans (with pods), beans (without pods), peas (with pods), peas (without pods), lentils	0.02*	0.01*
Stem vegetables	Asparagus, cardoons, celeries, Florence fennels, globe artichokes, leeks, rhubarbs, bamboo shoots, palm hearts	0.02*	0.01*
Fungi, mosses, lichens	Cultivated fungi, wild fungi, mosses and lichens	0.02*	0.01*
Algae and prokaryotes	Algae and prokaryotes	0.02*	0.01*
Pulses	Beans, lentils, peas, lupins/lupini beans	0.05*	0.01*
Oilseeds	Linseeds, peanuts/groundnuts, poppy seeds, sesame seeds, sunflower seeds, rapeseeds/canola seeds, soyabean, mustard seeds, cotton seeds, pumpkin seeds, safflower seeds, borage seeds, gold of pleasure seeds, hemp seeds, castor beans	0.02*	0.01*
Oil fruits	Olives for oil production, oil palm kernels, oil palm fruits, kapok	0.02*	0.01*
Cereals	Barley, buckwheat and other pseudocereals, maize/corn, common millet/proso millet, oats, rice, rye, sorghum, wheat	0.02*	0.01*
Teas		0.1*	0.05*
Coffee beans		0.1*	0.05*
Herbal infusions	Chamomile, hibiscus/rose, rose, jasmine, lime/linden, strawberry, rooibos, mate/maté, valerian, ginseng	0.1*	0.05*
Cocoa beans		0.1*	0.05*
Carobs/Saint John's breads		0.1*	0.05*
Hops		0.1*	0.05*
Spices	Anise/aniseed, black caraway/black cumin, celery, coriander, cumin, dill, fennel, fenugreek, nutmeg, allspice/pimento, Sichuan pepper, caraway, cardamom, juniper berry, peppercorn (black, green, white), vanilla, tamarind, cinnamon, liquorice, ginger, turmeric/curcuma, horseradish, cloves, capers, saffron, mace	0.1*	0.05*
Sugar plants	Sugar beet roots, sugar canes, chicory roots	0.02*	0.01*
Products of animal origin (swine, cattle, sheep, goat, horse, poultry, other farmed terrestrial animals)	Muscle, fat, liver, kidney, edible offals (other than liver and kidney)	0.02*	0.01*
Milk	Cattle, sheep, goat, horse	0.02*	0.01*
Bird eggs	Chicken, duck, geese, quail	0.02*	0.01*
Amphibians and reptiles		0.02*	0.01*
Terrestrial vertebrate animals		0.02*	0.01*
Wild terrestrial vertebrate animals		0.02*	0.01*

\* Limit of determination (LOD).

Source: based on [PLAN-2024-1306 rev3](#)

**Disclaimer:** Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information

*available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.*