

Maximum residue levels for carbofuran

Published by AGRINFO on 09 Mar 2026; Revised 13 May 2026

Draft Commission Regulation as regards maximum residue levels for carbofuran, imazalil, mandipropamid, propaquizafop, quizalofop-P-ethyl and quizalofop-P-tefuryl in or on certain products

Draft Annex (PLAN/2025/2832)

What is changing and why?

The European Union (EU) proposes to lower the maximum residue level (MRL) for carbofuran on cotton seeds from 0.1 mg/kg to the limit of determination (LOD) of 0.02 mg/kg. (The LOD is the lowest level that can be detected using the most modern and reliable analytical methods.)

Carbofuran is not approved in the EU, and the Codex Alimentarius MRL on which the EU MRL was based was revoked in 2024.

Actions

Suppliers to the EU market of cotton seeds should look for alternative chemical and non-chemical solutions to the use of carbofuran.

Competent authorities of countries that are members of the World Trade Organization can submit comments on the EU's proposal by emailing the [EU SPS Enquiry Point](#) until **30 June 2026**.

Timeline

The new MRL is expected to apply from **September 2027**.

For more information see the [full record](#) on the AGRINFO website – where you can also view the latest [AGRINFO Update](#) newsletters and [search](#) the database.

Disclaimer: *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole*

risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.