

THE LATEST ON EU AGRI-FOOD POLICIES IMPACTING LOW-INCOME & MIDDLE-INCOME COUNTRIES

## Maximum residue levels for cyproconazole

Published by AGRINFO on 31 Jan 2024; Revised 30 Sep 2024

<u>Draft</u> Commission Regulation as regards maximum residue levels for cyproconazole and spirodiclofen in or on certain products

## What is changing and why?

In September 2024, the European Parliament rejected a Commission Regulation that proposed to reduce the maximum residue levels (MRLs) for cyproconazole on certain products to the limit of determination (LOD, the lowest level that can be detected using the most modern and reliable analytical methods) (see Table 1).

## Timeline

The European Parliament's objection prevents the Commission from adopting the proposed draft Regulation, which means that the existing MRLs for cyproconazole continue to apply.

For more information see the <u>full record</u> on the AGRINFO website – where you can also view the latest <u>AGRINFO Update</u> newsletters and <u>search</u> the database.





THE LATEST ON EU AGRI-FOOD POLICIES IMPACTING LOW-INCOME & MIDDLE-INCOME COUNTRIES

## **Tables & Figures**

Food category	o maximum residue levels fo	Cyproconazole (mg/kg)	
		Old MRL	New MRL
Pome fruits	Apples, pears, quinces, medlars, loquats/Japanese medlars	0.1	0.01*
Stone fruits	Apricots, cherries, peaches	0.1	0.01*
Berries and small fruits	Wine grapes, table grapes	0.2	0.01*
Leaf vegetables, herbs and edible flowers	Lamb's lettuces/corn salads	5	0.01*
Stem vegetables	Asparagus, globe artichokes	0.1	0.01*
	Celeries	0.2	0.01*
Pulses	Beans, peas,	0.08	0.02*
	Lentils, lupins/lupini beans	0.08	0.01*
Oilseeds	Poppy seeds, rapeseeds/canola seeds, mustard seeds, borage seeds, gold of pleasure seeds	0.4	0.01*
Cereals	Barley, oat	0.2	0.08
	Buckwheat, common millet/proso millet, rye, wheat	0.1	0.08
	maize/corn, rice, sorghum,	0.1	0.01*
Coffee beans		0.1	0.07
Sugar plants	Sugar beet roots	0.1	0.05
Products of animal origin	Muscle and fat from swine, cattle, sheep, goats, horses, and other farmed terrestrial animals	0.05*	0.02

Source: based on PLAN/2023/1960



Maximum residue levels for cyproconazole

Copyright © COLEAD 2025, AGRINFO is funded by the European Union and implemented by COLEAD.



THE LATEST ON EU AGRI-FOOD POLICIES IMPACTING LOW-INCOME & MIDDLE-INCOME COUNTRIES

**Disclaimer**: Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.

