

Maximum residue levels for epoxiconazole

Published by AGRINFO on 30 Jan 2023

EU reduces MRLs for epoxiconazole to the LOD, with impacts on bananas, cabbages, peas, all cereals, all spices, sugar plants and products of animal origin, from August 2023

Commission Regulation (EU) [2023/128](#) of 18 January 2023 amending Annexes II, III and V to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for benalaxyl, bromoxynil, chlorsulfuron, epoxiconazole and fenamiphos in or on certain products

Update

The EU has reduced the MRLs for epoxiconazole. This will lead to reductions in MRLs to the limit of determination (LOD) for cabbages, peas, all cereals, all spices, sugar plants and products of animal origin.

Impacted products

bananas, head cabbages, peas (with pods), peas (pulses), barley, oats, buckwheat, maize, corn, common millet, proso millet, rice, sorghum, rye, wheat, seed spices, fruit spices, bark spices, roots and rhizomes spices, bud spices, flower pistil spices, aril spices, sugar beet roots, chicory roots, products of animal origin

What is changing?

The changes to MRLs are set out in Table 1.

In addition, the LOD is reduced on the majority of other products from 0.05 to 0.01 mg/kg.

Why?

The active substance epoxiconazole was not renewed for use in the EU, as an application for renewal was not submitted. Its EU approval expired on 30 April 2020. In the absence of Codex MRLs or import tolerances, the MRLs for all products were reduced to the LOD.

Timeline

The new MRLs will apply from 8 August 2023.

Recommended Actions

Exporters of bananas, cabbages, peas, all cereals, all spices, sugar plants, and products of animal origin should review the current use of epoxiconazole in production of these products, and seek alternative solutions with a view to ensuring a transition away from epoxiconazole before August 2023.

Background

MRLs are set in accordance with the rules set out in Regulation [396/2005](#). For information on current MRLs for other substances, please consult the [EU Pesticide Residues database](#).

Sources



Commission Regulation (EU) [2023/128](#)

Visit the [AGRINFO website](#) to view the latest AGRINFO Update newsletters and [search](#) the database.

Table & Figures

Table 1 Maximum residue levels for epoxiconazole			
Food category	Products	Epoxiconazole (mg/kg)	
		Old MRL	New MRL
Miscellaneous fruits	Bananas	0.5	0.01*
Brassica vegetables	Head cabbages	0.2	0.01*
Legume vegetables	Peas (with pods)	0.1	0.01*
Pulses	Peas	0.1	0.01*
Cereals	Barley, oat	1.5	0.01*
	Buckwheat, maize/ corn, common millet/ proso millet, rice, sorghum	0.1	0.01*
	Rye, wheat	0.6	0.01*
Hops	Hops	0.1	0.05*
Spices	All seed spices, fruit spices, bark spices, roots and rhizomes spices, bud spices, flower pistil spices, aril spices	0.1	0.05*
Sugar plants	Sugar beet roots	0.1	0.01*
	Chicory roots	0.2	0.01*
Products of animal origin	Swine/ bovine/ sheep/ goat/ equine/ other farmed terrestrial animals: Liver	0.2	0.01*
	Swine edible offals	0.05	0.01*
	Bovine/ sheep/ goat/ equine/ other farmed terrestrial animals: Kidney, edible offals	0.02	0.01*

* Limit of determination.
Source: based on [SANTE/10176/2022 rev.2](#)

www.agrinfo.eu

Source: based on Commission Regulation (EU) 2023/128

Disclaimer: *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information*

available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.