

Maximum residue levels for etridiazole

Published by AGRINFO on 01 Aug 2023; Revised 05 Feb 2024

EU lowers MRLs for etridiazole to limit of determination, with impacts on strawberries, peppers, some cucurbits, and cotton seeds

Commission Regulation (EU) [2024/345](#) of 22 January 2024 amending Annexes II, III and V to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for desmedipham, etridiazole, flurtamone, profoxydim, difenacoum and potassium permanganate in or on certain products

Update

The EU has reduced the MRLs for etridiazole to the limit of determination (LOD, the lowest level that can be detected using the most modern and reliable analytical methods) for all products. There will be impacts on strawberries, peppers, cucurbits with edible peel, and cotton seeds.

Impacted products

strawberries, sweet peppers, bell peppers, cucumbers, gherkins, courgettes, cotton seeds

What is changing?

The EU has reduced the MRLs for etridiazole to the LOD for all products (see Table 1). Where advances in analytical techniques allow lower LODs to be achieved, the LODs will be reduced accordingly.

Why?

Etridiazole is no longer permitted for use in the EU. The existing MRLs set for etridiazole have therefore been deleted and set to the LOD.

For some substances, advances in analytical techniques allow lower LODs, and in these cases the new MRLs will be set at these lower achievable levels.

Timeline

The new MRLs will apply from **12 August 2024**. Products exported before 12 August 2024 that comply with the old MRLs will not be removed from the EU market after that date, even if they do not comply with the new MRLs.

Recommended Actions

Exporters of strawberries, peppers, cucurbits, and cotton seed products should review their current use of etridiazole and evaluate possible alternative solutions.

Background


MRLs are set in accordance with the rules set out in Regulation [396/2005](#). For information on current MRLs for other substances, please consult the [EU Pesticide Residues database](#).

Sources

Commission Regulation (EU) [2024/345](#) as regards maximum residue levels for desmedipham, etridiazole, flurtamone, profoxydim, difenacoum and potassium permanganate in or on certain products

Visit the [AGRINFO website](#) to view the latest AGRINFO Update newsletters and [search](#) the database.

Table & Figures

Table 1 Changes to maximum residue levels for etridiazole			
Food category	Products	Etridiazole (mg/kg)	
		Old MRL	New MRL
Berries and small fruits	Strawberries	0.1	0.01*
Fruiting vegetables	Sweet peppers/ bell peppers	0.1	0.01*
Cucurbits	Cucumbers, gherkins, courgettes	0.4	0.01*
Oilseeds	Cotton seeds	0.1	0.01*
* Limit of determination. <div>  www.agrinfo.eu </div>			

Source: based on Regulation (EU) [2024/345](#)

Disclaimer: Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.