

Maximum residue levels for fenoxycarb

Published by AGRINFO on 01 Aug 2023; Revised 25 Jan 2024

EU reduces MRLs for fenoxycarb to the limit of determination on all products

Commission Regulation (EU) [2024/341](#) of 22 January 2024 amending Annexes II and V to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for diethofencarb, fenoxycarb, flutriafol and pencycuron in or on certain products

Update

The EU has set the MRLs for fenoxycarb on all products to the limit of determination (LOD, the lowest level that can be detected using the most modern and reliable analytical methods). There will be potential impacts on exporters of pecans, walnuts, apples, pears, quinces, medlars, loquats/ Japanese medlars, peaches, plums, table grapes, wine grapes, table olives, and olives for oil production.

Impacted products

pecans, walnuts, apples, pears, quinces, medlars, loquats/ Japanese medlars, peaches, plums, table grapes, wine grapes, table olives, olives for oil production

What is changing?

The EU has amended the MRLs for fenoxycarb as summarised in Table 1.

Why?

The approval for fenoxycarb has not been renewed as the manufacturer did not submit a new application for approval. Therefore fenoxycarb is no longer authorised in the EU, and all MRLs are set at the LOD.

Timeline

The new MRLs will apply from **12 August 2024**. Products exported to the EU before 12 August 2024 that comply with the old MRLs will not be removed from the EU market after 12 August, even if they do not comply with the new MRLs.

Recommended Actions

Exporters of the nuts and fruits listed in Table 1 should review their current use of fenoxycarb and, where necessary, look for potential alternative solutions.


Background

MRLs are set in accordance with the rules set out in Regulation [396/2005](#). For information on current MRLs for other substances, please consult the [EU Pesticide Residues database](#).

Sources

Commission Regulation (EU) [2024/341](#)

Table & Figures

| Table 1 Changes to maximum residue levels for fenoxycarb | | | |
|---|---|--------------------|---------|
| Food category | Products | Fenoxycarb (mg/kg) | |
| | | Old MRL | New MRL |
| Tree nuts | Pecans, walnuts | 0.05 | 0.01* |
| Pome fruits | Apples, pears, quinces, medlars, loquats/ Japanese medlars | 0.7 | 0.01* |
| Stone fruits | Peaches | 1.5 | 0.01* |
| | Plums | 0.6 | 0.01* |
| Berries and small fruits | Table grapes, wine grapes | 0.5 | 0.01* |
| Miscellaneous fruits | Table olives | 3 | 0.01* |
| Oil fruits | Olives for oil production | 3 | 0.01* |
| * Limit of determination. | | | |
|  www.agrinfo.eu | | | |

Source: Regulation [2024/341](#)

Disclaimer: *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.*