

# Maximum residue levels for flutriafol

*Published by AGRINFO on 30 Nov 2022; Revised 07 Mar 2023*

EU adopts an import tolerance MRL for flutriafol on melons, watermelons and pumpkins, and reduces the existing MRL for rice

Commission Regulation (EU) [2023/377](#) of 15 February 2023 amending Annexes II, III, IV and V to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for benzalkonium chloride (BAC), chlorpropham, didecyldimethylammonium chloride (DDAC), flutriafol, metazachlor, nicotine, profenofos, quizalofop-P, sodium aluminium silicate, thiabendazole and triadimenol in or on certain products

## Update

The EU has set an import tolerance MRL for flutriafol on melons, watermelons and pumpkins, and reduced the existing MRL for rice.

## Impacted products

melons, watermelons, pumpkins, rice

## What is changing?

The changes to flutriafol MRLs are set out in Table 1.

## Why?

[EFSA \(2020\)](#) has reviewed existing flutriafol MRLs on the basis of a request for import tolerances related to the authorised use of this fungicide in the USA.

## Timeline

New MRLs will apply from 14 September 2023.

## Recommended Actions

- Suppliers of melons, watermelons and pumpkins to the EU market may choose to review their good agricultural practices in relation to the use of flutriafol in light of the EU's proposed adoption of an import tolerance MRL.
- Suppliers of rice to the EU market should review current use of flutriafol and seek alternative substances or solutions.

## Background

MRLs are set in accordance with the rules set out in Regulation [396/2005](#). For information on current MRLs for other substances, please consult the [EU Pesticide Residues database](#).

## Resources

EFSA (2020) [Evaluation of confirmatory data following the Article 12 MRL review and setting of an import tolerance for flutriafol in cucurbits \(inedible peel\)](#). EFSA Journal, 18(12): 6315.


## Sources

Commission Regulation (EU) [2023/377](#)

## Table & Figures

Table 1 Maximum residue levels for flutriafol			
Food category	Products	Flutriafol (mg/kg)	
		Old MRL	New MRL
Fruiting vegetables	Melons, watermelons	0.2	0.3
	Pumpkins	0.01*	0.3
Cereals	Rice	1.5	1

\* Limit of determination.  
 Shading indicates a decrease in MRL.  
 Source: based on [SANTE/10090/2022 Rev. 5](#)


  
[www.agrininfo.eu](http://www.agrininfo.eu)

Source: Commission Regulation (EU) [2023/377](#)

**Disclaimer:** *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.*