

Maximum residue levels for fluxapyroxad

Published by AGRINFO on 23 Jan 2025

EU amends MRLs for fluxapyroxad on kaki and cultivated fungi

Commission Regulation (EU) [2025/115](#) of 21 January 2025 amending Annexes II and III to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for fluxapyroxad, lambda-cyhalothrin, metalaxyl, and nicotine in or on certain products

Update

The European Union (EU) has increased the maximum residue levels (MRLs) for fluxapyroxad on kaki/Japanese persimmons and cultivated fungi, following an application for MRL modifications.

Impacted products

Kaki/Japanese persimmons, cultivated fungi

What is changing?

The EU has raised the MRLs for fluxapyroxad on kaki/Japanese persimmons from 0.01 to 0.2 mg/kg, and on cultivated fungi from 0.01 to 0.3 mg/kg (see Table 1).

Why?

The EU received an application requesting a modification of the MRLs for fluxapyroxad on kaki and on cultivated fungi. On the basis of an evaluation by [EFSA \(2024\)](#), it was concluded that there are no risks to consumers at the proposed levels.

Timeline

The new MRLs apply from **11 February 2025**.

Background

MRLs are set in accordance with the rules set out in Regulation [396/2005](#). For information on current MRLs for other substances, please consult the [EU Pesticide Residues database](#).

Resources

EFSA (2024) [Modification of the existing maximum residue levels for fluxapyroxad in kaki/Japanese persimmons and cultivated mushrooms](#). EFSA Journal, 22: e8696.

Sources

Commission Regulation (EU) [2025/115](#) as regards maximum residue levels for fluxapyroxad, lambda-cyhalothrin, metalaxyl, and nicotine in or on certain products

Visit the [AGRINFO website](#) to view the latest AGRINFO Update newsletters and [search](#) the database.

Table & Figures

Table 1 Changes to maximum residue levels for fluxapyroxad			
Food category	Products	Fluxapyroxad (mg/kg)	
		Old MRL	New MRL
Miscellaneous fruits	Kaki/Japanese persimmons	0.01*	0.2
Fungi, mosses, and lichens	Cultivated fungi	0.01*	0.3

* Limit of determination.

 www.agrinfo.eu

Source: Based on Regulation [2025/115](#)

Disclaimer: Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole

risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.