

Maximum residue levels for mefentrifluconazole

Published by AGRINFO on 18 Apr 2024; Revised 22 Oct 2024

Regulation (EU) <u>2024/2633</u> as regards maximum residue levels for azoxystrobin, famoxadone, flutriafol, mandipropamid and mefentrifluconazole in or on certain products

Regulation <u>2024/1078</u> as regards maximum residue levels for azoxystrobin, flonicamid, isofetamid, mefentrifluconazole, metazachlor, pyrimethanil and quartz sand in or on certain products

What is changing and why?

The EU has adopted Codex maximum residue levels (CXLs) for mefentrifluconazole on multiple products, as set out in Table 2. This is because the European Food Safety Authority has not identified a risk to consumers at these levels.

This follows the increase of maximum residue levels (MRLs) for mefentrifluconazole on various fruits, vegetables, oilseeds/fruits, hops, and swine liver, as set out in Table 1.

Timeline

The new MRLs based on CXLs set out in Table 2 will apply from **29 October 2024**.

The MRLs set out in Table 1 apply from 6 May 2024.

For more information see the <u>full record</u> on the AGRINFO website – where you can also view the latest <u>AGRINFO Update</u> newsletters and <u>search</u> the database.





Tables & Figures

	(from 6 May 2024)		
Food category	Products	Mefentrifluconazole (mg/kg)	
		Old MRL	New MRL
Citrus fruits	Grapefruits	0.01*	0.5
Berries and other small fruits	Cranberries, mulberries, azaroles	0.01*	2
Miscellaneous fruits	Table olives	0.01*	2
	Kaki/Japanese persimmons	0.01*	0.2
Root and tuber vegetables	Jerusalem artichokes	0.01*	0.1
Fruiting vegetables	Cucumbers, gherkins, courgettes	0.01*	0.3
Brassica vegetables	Broccoli, cauliflowers	0.01*	0.7
	Brussels sprouts	0.01*	0.4
	Head cabbages	0.01*	0.04
Leaf vegetables	Roman rocket/rucola, baby leaf crops, spinaches	0.01*	7
Herbs and edible flowers	Chervil, chives, celery leaves, parsley, sage, rosemary, thyme, basil and edible flowers, laurel/bay leaves, tarragon	0.02*	7
Legume vegetables	Beans (without pods)	0.01*	0.04
	Peas (without pods)	0.01*	0.08
Stem vegetables	Cardoons, celeries, Florence fennels, rhubarbs	0.01*	3
	Globe artichokes	0.01*	0.7
Pulses	Peas, lupins	0.01*	0.2
Oil fruits	Olives for oil production	0.01*	3
Hops		0.05*	15
Products of animal origin	Swine liver	0.015	0.02

Magrinfo www.agrinfo.eu

Source: based on Regulation 2024/1078



Maximum residue levels for mefentrifluconazole

Copyright © COLEAD 2025, AGRINFO is funded by the European Union and implemented by COLEAD.



Food category	Products	Mefentrifluconazole (mg/kg)	
		Old MRL	New MR
Citrus fruits	Oranges	0.5	1
	Lemons, limes, mandarins	0.5	1.5
Tree nuts	Almonds, Brazil nuts, cashews, chestnuts, coconuts, hazelnuts/ cobnuts, macadamias, pecans, pine nut kernels, walnuts	0.01*	0.06
	Pistachios	0.05	0.06
Stone fruits	Apricots, peaches	0.7	2
	Cherries (sweet)	2	5
	Plums	0.5	1.5
Berries and other small	Wine grapes	0.9	2
fruits	Strawberries	0.8	2
	Blackberries, dewberries, raspberries (red and yellow)	0.01*	3
	Blueberries, currants, gooseberries, rose hips, elderberries	2	5
Miscellaneous fruits	Kumquats	0.01*	1.5
iruits	Avocados	0.01*	1
	Bananas	0.01*	1.5
	Mangoes	0.01*	0.6
	Papayas	0.01*	0.5
Root and tuber vegetables	Potatoes, cassava roots/manioc, sweet potatoes, yams, arrowroots	0.01*	0.05
	Beetroots, carrots, celeriacs/turnip rooted celeries, horseradishes, parsnips, parsley roots, radishes, salsifies, swedes, turnips	0.1	0.5
Bulb vegetables	Garlic, onions, shallot	0.01*	0.2
	Spring onions/green onions, Welsh onions	0.01*	4
Fruiting	Tomatoes	0.4	0.7
vegetables	Sweet peppers/bell peppers	0.9	1.5
	Aubergines/eggplants	0.4	1.5
	Okra/lady's fingers	0.01*	1.5
	Melons, pumpkins, watermelons	0.3	0.5
	Sweet corn	0.01*	0.04
Legume	Beans (with pods)	0.01*	0.05
vegetables	Peas (with pods)	0.01*	0.15
Pulses	Beans	0.01*	0.07
	Lentils	0.2	1.5
Oilseeds	Linseeds, poppy seeds, mustard seeds, gold of pleasure seeds	0.08	1
	Sesame seeds, borage seeds	0.01*	1
	Rapeseeds/canola seeds	0.06	1
	Sunflower seeds	0.05	0.15
	Soyabeans	0.01*	0.4
	Cotton seeds	0.01*	0.2
	Safflower seeds	0.01*	0.15
Cereals	Barley	0.6	3
	Common millet/proso millet	0.01*	2
	Rice	0.01*	1.5
	Rye, wheat	0.05	0.4
	Sorghum	0.01*	2
Coffee beans	Coffee beans	0.05*	0.4
Herbal infusions	Ginseng	0.05*	0.5
Sugar plants	Sugar canes	0.01*	1.5
	Chicory roots	0.01*	0.5

Source: based on Regulation 2024/2633

Disclaimer: Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information



Maximum residue levels for mefentrifluconazole



available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.

