

# Maximum residue levels for methoxyfenozide

*Published by AGRINFO on 30 Nov 2022; Revised 08 Jan 2025*

**Draft** Commission Regulation as regards maximum residue levels for chlorpropham, fuberidazole, ipconazole, methoxyfenozide, S-metolachlor and triflusal in or on certain products

Commission Regulation (EU) [2023/1069](#) as regards maximum residue levels for bixafen, cyprodinil, fenhexamid, fenpicoxamid, fenpyroximate, flutianil, isoxaflutole, mandipropamid, methoxyfenozide, and spinetoram in or on certain products

Commission Regulation (EU) [2022/1406](#) as regards maximum residue levels for methoxyfenozide, propoxur, spinosad and thiram in or on certain products

## What is changing and why?

The EU proposes to lower the maximum residue level (MRL) for methoxyfenozide on aubergines/ eggplants from 0.6 to 0.3 mg/kg.

In 2014, in an earlier assessment of methoxyfenozide MRLs, the European Food Safety Authority (EFSA) noted that residue trial data was missing for aubergines/ eggplants. A temporary safe MRL was proposed while awaiting additional data. The applicant later provided the necessary information, and EFSA has confirmed that the data supports a lower MRL for aubergines/ eggplants.

Other MRLs for methoxyfenozide were changed in earlier Regulations, as summarised in Table 1.

## Actions

Feedback on the EU's proposal ([G/SPS/N/EU/802](#)) closed on 14 February 2025.

Suppliers of aubergines/ eggplants should review their current use of methoxyfenozide and assess whether any changes will be needed to existing good agricultural practices (GAP) to ensure compliance with the new MRL.

## Timeline


The new MRL on aubergines is expected to apply from approximately **March 2026** – the precise date will be known once the Regulation is published.

MRLs for apples, pears, peaches, tomatoes, and broccoli applied from 28 February 2023.

Increased MRLs for basil and edible flowers, teas, coffee beans, and sugar cane applied from 22 June 2023.

For more information see the [full record](#) on the AGRINFO website – where you can also view the latest [AGRINFO Update](#) newsletters and [search](#) the database.

## Tables & Figures

Table 1 Changes to maximum residue levels for methoxyfenozide			
Food category	Products	Methoxyfenozide (mg/kg)	
		Old MRL	New MRL
Pome fruits	Apples, pears	2	0.01*
Stone fruits	Peaches	2	0.01*
Brassica vegetables	Broccoli	2	0.01*
Fruiting vegetables	Tomatoes	2	0.6
Leaf vegetables, herbs and edible flowers	Basil, edible flowers	4	80
Teas	Teas	0.05*	80
Coffee beans	Coffee beans	0.05*	0.15
Sugar plants	Sugar canes	0.01*	0.015
* Limit of determination.			
 www.agrininfo.eu			

Source: based on Regulations [2022/1406](#) and [2023/1069](#)

**Disclaimer:** *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial*

*support of the European Union. Its contents do not, however, reflect the views of the European Union.*