

## Maximum residue levels for novaluron

*Published by AGRINFO on 30 Nov 2022; Revised 18 Mar 2023*

For more information see the [full record](#) on the AGRINFO website – where you can also view the latest [AGRINFO Update](#) newsletters and [search](#) the database.

## Tables & Figures

Table 1 Maximum residue levels for novaluron			
Food category	Products	Novaluron <sup>a</sup> (mg/kg)	
		Old MRL	New MRL
Pome fruits	Apples	2	0.01*
	Pears	3	0.01*
Stone fruits	Apricots, peaches	2	0.01*
	Cherries	7	0.01*
	Plums	1.5	0.01*
Berries and small fruits	Strawberries	0.5	0.01*
	Blueberries, cranberries	7	0.01*
Root and tuber vegetables	Potatoes	0.2	0.01*
Fruiting vegetables	Tomatoes	1	0.01*
	Sweet peppers/bell peppers	0.6	0.01*
	Aubergines/eggplants	0.5	0.01*
	Melons, pumpkins, watermelons	0.2	0.01*
Brassica vegetables	Broccoli	0.6	0.01*
Leaf vegetables	Red mustards	25	0.01*
	Chards/beet leaves	15	0.01*
Legume vegetables	Beans (with pods), beans (without pods)	0.7	0.01*
Pulses	Beans	0.1	0.01*
Oilseeds	Cotton seeds	0.5	0.01*
Sugar plants	Sugar canes	0.5	0.01*
Products of animal origin:			
Swine/bovine/sheep/goat/ equine/other farmed terrestrial animals	Muscle	10	0.02*
	Fat	10	0.1*
	Liver, kidney, edible offals	0.7	0.05*
Poultry	Muscle	0.5	0.02*
	Fat	0.5	0.1*
	Liver, kidney, edible offals	0.1	0.05*
Milk	All	0.4	0.02*
Bird eggs	All	0.1	0.01*
a Sum of constituent isomers. * Limit of determination.			

Source: based on Commission Regulation (EU) [2023/466](#) and [SANTE/10108/2022](#)

**Disclaimer:** *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.*