

Maximum residue levels for quinmerac

Published by AGRINFO on 30 Nov 2022

EU publishes Regulation reducing MRLs for quinmerac to the limit of determination for leaf vegetables and sugar beet roots from February 2023

Commission Regulation (EU) [2022/1321](#) of 25 July 2022 amending Annexes II and III to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for fluoride ion, oxyfluorfen, pyroxsulam, quinmerac and sulfuryl fluoride in or on certain products

Update

Commission Regulation [2022/1321](#), published on 25 July, removes existing MRLs for spinaches, chards/ beet leaves, chervil, chives, celery leaves, parsley, sage, rosemary, thyme, basil and edible flowers, laurel leaves, bay leaves, tarragon, and sugar beet roots from February 2023.

Impacted products

spinaches, chards, beet leaves, chervil, chives, celery leaves, parsley, sage, rosemary, thyme, basil and edible flowers, laurel leaves, bay leaves, tarragon, sugar beet roots

What is changing?

The changes to MRLs are summarised in Table 1.

In addition, the limit of determination (LOD) is increased to 0.15 mg/kg for tree nuts, table olives, avocados, beetroots, oil seeds and oil fruits; and reduced to 0.02 mg/kg for products of animal origin not listed in Table 1.

Why?

[EFSA \(2020\)](#) reviewed existing quinmerac MRLs taking into account authorised uses in the EU. The Commission has lowered the MRL for sugar beet roots on the advice of EFSA. MRLs for leaf vegetables are reduced to the LOD in the absence of authorised use in the EU.

Timeline

New MRLs will apply from 21 February 2023. Where products are exported in compliance with the old MRLs before 21 February 2023, these products may stay on the market after this date, even where not compliant with new MRLs.

Recommended Actions

Exporters of spinaches, chards/ beet leaves, chervil, chives, celery leaves, parsley, sage, rosemary, thyme, basil and edible flowers, laurel/ bay leaves, tarragon and sugar beet roots should evaluate the use of quinmerac on these products and seek alternative solutions.

Background

MRLs are set in accordance with the rules set out in Regulation [396/2005](#). For information on current MRLs for other substances, please consult the [EU Pesticide Residues database](#).

Resources


EFSA (2020) [Review of the existing maximum residue levels for quinmerac according to Article 12 of Regulation \(EC\) No 396/2005](#). EFSA Journal, 18(10): 6257.

Sources

Commission Regulation (EU) [2022/1321](#)

Visit the [AGRINFO website](#) to view the latest AGRINFO Update newsletters and [search](#) the database.

Table & Figures

Table 1 Maximum residue levels for quinmerac			
Food category	Products	Quinmerac ¹ (mg/kg)	
		Old MRL	New MRL
Leaf vegetables, herbs and edible flowers	Spinaches, chards/ beet leaves, chervil, chives, celery leaves, parsley, sage, rosemary, thyme, basil and edible flowers, laurel/ bay leaves, tarragon	0.5	0.1*
Sugar plants	Sugar beet roots	0.5	0.15*
Products of animal origin	Bovine: liver, edible offals	0.05*	0.07
	Bovine: kidney	0.05*	0.05
	Sheep: liver/kidney/edible offals	0.05*	0.05
	Goat: liver/kidney/edible offals	0.05*	0.05
	Equine: liver, edible offals	0.05*	0.07
	Equine: kidney	0.05*	0.05
1 Sum of quinmerac and its metabolites BH 518-2 and BH 518-4 expressed as quinmerac. * Limit of determination. Source: based on Commission Regulation (EU) 2022/1321			
 www.agrinfo.eu			

Disclaimer: Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.