Maximum residue levels for spinosad

Published by AGRINFO on 30 Nov 2022

For more information see the full record on the AGRINFO website – where you can also view the latest AGRINFO Update newsletters and search the database.

Tables & Figures

Table 1
Maximum residue levels for spinosad

Food category	Products	Spinosad[1] (mg/kg)	
		Old MRL	New MRL
Fruiting vegetables	Sweet peppers/bell peppers	2	0.6
Leaf vegetables, herbs and edible flowers	Lettuces	10	4
Brassica vegetables	Escaroles/broadleaved endives	10	3
	Spinaches, chards/beet leaves	15	4
	Witloofs/Belgian endives	10	0.02*

1 Sum of spinosyn A and spinosyn D.
* Limit of determination.
Source: based on Commission Regulation 2022/1406

www.agrinfo.eu

Disclaimer: *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.*

Copyright © **COLEAD 2026,** *AGRINFO is funded by the European Union and implemented by COLEAD.*