# Maximum residue levels for sulfuryl fluoride

*Published by AGRINFO on 14 Dec 2022*

For more information see the full record on the AGRINFO website – where you can also view the latest AGRINFO Update newsletters and search the database.

## Tables & Figures

Table 1
Maximum residue levels for sulfuryl fluoride

| Food category | Products | Sulfuryl fluoride (mg/kg) | |
|---|---|---|---|
| | | Old MRL | New MRL |
| Tree nuts | Coconuts | 10 | 3 |
| Cocoa beans | | 0.02* | 0.03 |
| Cereals | Barley, buckwheat and other pseudo-cereals, maize/ corn, common millet/ proso millet, oat, rice, rye, sorghum, wheat | 0.05 | 0.01* |

* Limit of determination.
Shading indicates a decrease in MRL.
Source: based on Commission Regulation (EU) 2022/1321

www.agrinfo.eu

**Disclaimer**: *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.*


Copyright © **COLEAD 2026,** *AGRINFO is funded by the European Union and implemented by COLEAD.*