

# Maximum residue levels for triflumuron

*Published by AGRINFO on 05 Mar 2023; Revised 23 May 2024*

## Regulation

Commission Regulation (EU) [2024/1355](#) as regards maximum residue levels for benzovindiflupyr, chlorantraniliprole, emamectin, quinclorac, spiromesifen, and triflumuron in or on certain products

Commission Regulation (EU) [2023/2382](#) as regards maximum residue levels for carbetamide, carboxin and triflumuron in or on certain products

## What is changing and why?

The EU has aligned its maximum residue levels (MRLs) for triflumuron on animal products with MRLs adopted by Codex (see Table 1).

Earlier changes to the MRLs for triflumuron following its non-renewal for use in the EU are set out in Table 2.

## Actions

Suppliers who sell apples, pears, apricots, peaches, and plums had to find ways to grow these crops without using triflumuron by April 2024.

Products that were shipped before 25 April 2024, and that meet the old rules for MRLs, will not be taken off the EU market after 25 April, even if they do not meet the new MRLs.


## Timeline

The new MRLs for triflumuron on animal products set out in Table 1 apply from **11 June 2024**.


The MRLs for triflumuron set out in Table 2 (Regulation [2023/2382](#)) have applied from 25 April 2024.

For more information see the [full record](#) on the AGRINFO website – where you can also view the latest [AGRINFO Update](#) newsletters and [search](#) the database.

## Tables & Figures

| Table 1<br>Maximum residue levels for triflumuron (from 11 June 2024)                               |   |                     |         |
|---|---|---------------------|---------|
| Food category   | Products  | Triflumuron (mg/kg) |         |
|   |   | Old MRL             | New MRL |
| Oilseeds  | Soya beans  | 0.01*               | 0.1     |
| Products of animal origin   | Muscle, kidney, liver and edible offals from pigs, cattle, sheep, goats, horses, and other farmed terrestrial animals | 0.01*               | 0.05    |
|   | Fat from pigs, cattle, sheep, goats, horses, and other farmed terrestrial animals                                     | 0.01*               | 0.1     |
| * Limit of determination.   |   |                     |         |
| <br>www.agrinfo.eu |   |                     |         |

Source: based on Regulation (EU) [2024/1355](#)

| Table 2<br>Maximum residue levels for triflumuron (from 25 April 2024)                                |               |                     |         |
|---|---------------|---------------------|---------|
| Food category   | Products      | Triflumuron (mg/kg) |         |
|   |               | Old MRL             | New MRL |
| Pome fruits   | Apples, pears | 0.5                 | 0.01*   |
| Stone fruits  | Apricots      | 1                   | 0.01*   |
|   | Peaches       | 0.4                 | 0.01*   |
|   | Plums         | 0.1                 | 0.01*   |
| * Limit of determination.   |               |                     |         |
| <br>www.agrinfo.eu |               |                     |         |

Source: based on Regulation (EU) [2023/2382](#)

**Disclaimer:** *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.*