

# Maximum residue levels for quizalofop

*Published by AGRINFO on 03 Mar 2026; Revised 15 May 2026*

EU to lower quizalofop MRLs on salads and herbal infusions, and to increase MRLs on sunflower seeds and soyabeans

Draft Commission Regulation amending Annexes II, III and V to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for carbofuran, imazalil, mandipropamid, propaquizafop, quizalofop-P-ethyl and quizalofop-P-tefuryl in or on certain products

Draft Annex (PLAN/2025/2832)

## Update

The European Union (EU) has notified the World Trade Organization Sanitary and Phytosanitary Measures (WTO SPS) Committee of a draft proposal to reduce the maximum residue levels (MRLs) for quizalofop on various salads and herbal infusions, and to increase the MRLs on sunflower seeds and soyabeans ([G/SPS/N/EU/943](#)). This may have an impact on trade in chards/beet leaves and herbal infusions, as the MRLs will be reduced to the limit of determination (LOD, the lowest level that can be detected using the most modern and reliable analytical methods).

## Impacted products

Lamb's lettuces/corn salads, lettuces, escaroles/broad-leaved endives, cresses and other sprouts and shoots, land cresses, Roman rocket/rucola, red mustards, baby leaf crops, other lettuces, spinaches, chards/beet leaves, sunflower seeds, soyabeans, herbal infusions: chamomile, hibiscus/roselle, rose, jasmine, lime/linden, other flower infusions, strawberry, rooibos, mate/maté, other leaves/herb infusions, valerian, ginseng, other root infusions

## What is changing?

The EU proposes to change the MRLs for quizalofop as summarised in Table 1.

## Why?

The European Food Safety Authority ([EFSA 2017](#)) concluded that there was insufficient information for various products to maintain current MRLs. Following a review of data submitted to address those data gaps, and a request to modify certain products, [EFSA \(2024\)](#) supported new MRLs for sunflower seeds and soyabeans. Data gaps for lettuces, salads, and spinaches were not addressed, so revised MRLs are proposed on the basis of good agricultural practices (GAPs). For chards/beet leaves and herbal infusions, data gaps concerning storage stability and analytical methods were not addressed, so MRLs at the LOD are recommended.

## Timeline

The MRLs under discussion are expected to apply from **September 2027**.

## Recommended Actions

To ensure compliance with the new MRLs, suppliers of chards/beet leaves, herbal infusions, and salads should review their use of quizalofop and assess where changes will be needed to existing GAPs, or where alternative chemical and non-chemical solutions to the use of quizalofop are needed.

Competent authorities of countries that are members of the WTO can submit comments on the EU's proposal by emailing the [EU SPS Enquiry Point](#) until **30 June 2026**.

## Background

MRLs are set in accordance with the rules set out in Regulation [396/2005](#). For information on current MRLs for other substances, please consult the [EU Pesticide Residues database](#).

## Resources

EFSA (2017) [Reasoned opinion: Review of the existing maximum residue levels for quizalofop-P-ethyl, quizalofop-P-tefuryl and propaquizafop according to article 12 of regulation \(EC\) No 396/2005](#). EFSA Journal, 15(12): e05050.

EFSA (2024) [Reasoned opinion: Evaluation of confirmatory data following the Article 12 MRL review for quizalofop-P-ethyl, quizalofop-P-tefuryl and propaquizafop and modification of the existing maximum residue levels for quizalofop-P-tefuryl](#). EFSA Journal, 22(2): e8560.

## Sources

[Draft](#) Commission Regulation amending Annexes II, III and V to Regulation (EC) No 396/2005 as regards maximum residue levels for carbofuran, imazalil, mandipropamid, propaquizafop, quizalofop-P-ethyl and quizalofop-P-tefuryl in or on certain products


[Draft](#) Annex (PLAN/2025/2832)

Visit the [AGRINFO website](#) to view the latest AGRINFO Update newsletters and [search](#) the database.

## Table & Figures

Table 1 Maximum residue levels under discussion for quizalofop			
Food category	Products	Quizalofop <sup>[1]</sup> (mg/kg)	
		Current MRL	Proposed MRL
Leaf vegetables	Lamb's lettuces/corn salads, lettuces, escaroles/ broad-leaved endives, cresses and other sprouts and shoots, land cresses, Roman rocket/rucola, red mustards, baby leaf crops, other lettuces, spinaches	0.2	0.15
	Chards/beet leaves	0.04	0.01*
Oilseeds	Sunflower seeds	0.8	1.5
	Soyabeans	0.2	0.3
Herbal infusions	Chamomile, hibiscus/roselle, rose, jasmine, lime/ linden, other flower infusions, strawberry, rooibos, mate/maté, other leaves/herb infusions, valerian, ginseng, other root infusions	0.8	0.05*

\* Limit of determination (LOD).  
1. Sum of quizalofop, its salts, its esters (including propaquizafop), and its conjugates, expressed as quizalofop (any ratio of constituent isomers).


  
[www.agrinfo.eu](http://www.agrinfo.eu)

Source: based on [Draft](#) Annex (PLAN/2025/2832)

**Disclaimer:** Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information

*available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.*