

Maximum residue levels for quizalofop

Published by AGRINFO on 03 Mar 2026; Revised 15 May 2026

Draft Commission Regulation amending Annexes II, III and V to Regulation (EC) No 396/2005 as regards maximum residue levels for carbofuran, imazalil, mandipropamid, propaquizafop, quizalofop-P-ethyl and quizalofop-P-tefuryl in or on certain products

Draft Annex (PLAN/2025/2832)

What is changing and why?

The European Union (EU) proposes to change the maximum residue levels (MRLs) for quizalofop as summarised in Table 1.

Actions

This may have an impact on trade in chards/beet leaves and herbal infusions. To ensure compliance with the new MRLs, suppliers of chards/beet leaves, herbal infusions, and salads should review their use of quizalofop and assess where changes will be needed to existing good agricultural practices (GAPs), or where alternative chemical and non-chemical solutions to the use of quizalofop are needed.

Competent authorities of countries that are members of the World Trade Organization can submit comments on the EU's proposal by emailing the [EU SPS Enquiry Point](#) until **30 June 2026**.

Timeline


The MRLs under discussion are expected to apply from **September 2027**.

For more information see the [full record](#) on the AGRINFO website – where you can also view the latest [AGRINFO Update](#) newsletters and [search](#) the database.

Tables & Figures

Table 1 Maximum residue levels under discussion for quizalofop			
Food category	Products	Quizalofop ^[1] (mg/kg)	
		Current MRL	Proposed MRL
Leaf vegetables	Lamb's lettuces/corn salads, lettuces, escaroles/ broad-leaved endives, cresses and other sprouts and shoots, land cresses, Roman rocket/rucola, red mustards, baby leaf crops, other lettuces, spinaches	0.2	0.15
	Chards/beet leaves	0.04	0.01*
Oilseeds	Sunflower seeds	0.8	1.5
	Soyabeans	0.2	0.3
Herbal infusions	Chamomile, hibiscus/roselle, rose, jasmine, lime/ linden, other flower infusions, strawberry, rooibos, mate/maté, other leaves/herb infusions, valerian, ginseng, other root infusions	0.8	0.05*

* Limit of determination (LOD).
1. Sum of quizalofop, its salts, its esters (including propaquizafop), and its conjugates, expressed as quizalofop (any ratio of constituent isomers).



 www.agrininfo.eu

Source: based on [Draft Annex \(PLAN/2025/2832\)](#)

Disclaimer: *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.*