

Detection of *Trichinella* in pork

Published by AGRINFO on 12 Dec 2024; Revised 21 Mar 2025

European Commission clarifies reference method for detecting *Trichinella* in pork and authorises new equivalent method (lumiVAST *Trichinella*)

Commission Implementing Regulation (EU) [2025/506](#) of 19 March 2025 amending Annex I to Implementing Regulation (EU) 2015/1375 as regards the reference method and the authorisation of lumiVAST *Trichinella* as an equivalent method for detection of *Trichinella* in meat of domestic swine

Update

The European Union has published the following changes regarding the detection of *Trichinella* in pork meat.

- Reference method: specification of the samples, including weights, to be taken in the case of whole carcasses and cuts of pork
- Authorisation of “lumiVAST *Trichinella*” as an equivalent method for the detection of *Trichinella*.

Impacted products

pork

What is changing?

As *Trichinella* in pork can cause illness in consumers, methods are in place for detecting its presence in pork placed on the EU market (Regulation [2015/1375](#)).

The new Regulation:

- Clarifies the reference method of detection by specifying where to take the samples, and the weight that must be taken in the case of whole carcasses and pork cuts (Annex I, Chapter I, point 2). It also updates the citation of the updated International Organization for Standardization reference method (ISO 2023) (Annex I, Chapters I and II).

- Authorises, under certain conditions, “lumiVAST Trichinella” as an equivalent method for the detection of *Trichinella* spp. larvae in muscle samples of farmed pigs. It specifies the steps to be taken when results are positive or uncertain (Annex I, Chapter II.F).

(Note that the consolidated version of Regulation 2015/1375 integrating the changes in Regulation 2025/506 is not yet published. For the most recent version of Regulation [2015/1375](#) click on “Consolidated version” or “Access current version”.)

Why?

The method of detecting *Trichinella* in pork meat has been clarified and updated with the latest ISO reference method ([ISO 2023](#)).

The “lumiVAST Trichinella” detection method has been validated by the European Reference Laboratory to be used as an equivalent to the reference method.

Timeline

The Regulation applies from **9 April 2025**.

Background

Regulations [853/2004](#) and [2017/625](#) lay down the health rules regarding food of animal origin and the official controls required.

More specific requirements are necessary for monitoring *Trichinella*. Specific rules on official controls for *Trichinella* in meat are set out in Regulation [2015/1375](#), Annex I, which provides the reference method of detection (Chapter I), and authorisation of equivalent methods of detection (Chapter II).

Resources

Feedback to the European Commission's [Have your say](#) platform

ISO (2023) [ISO 18743:2015/Amd. 1:2023](#), Microbiology of the food chain – Detection of *Trichinella* larvae in meat by artificial digestion method. Amendment 1: Method validation studies and performance characteristics

Sources

Commission Implementing Regulation (EU) [2025/506](#) as regards the reference method and the authorisation of lumiVAST Trichinella as an equivalent method for detection of Trichinella in meat of domestic swine

Visit the [AGRINFO website](#) to view the latest AGRINFO Update newsletters and [search](#) the database.

Disclaimer: *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.*