

Maximum residue levels for acequinocyl


Published by AGRINFO on 27 Jan 2023

For more information see the [full record](#) on the AGRINFO website – where you can also view the latest [AGRINFO Update](#) newsletters and [search](#) the database.

Tables & Figures

Table 1 Maximum residue levels for acequinocyl			
Food category	Products	Acequinocyl (mg/kg)	
		Old MRL	New MRL
Tree nuts	Almonds	0.02	0.01*
Pome fruits	Apples, pears, quinces, medlars, loquats/ Japanese medlars	0.1	0.4
Stone fruits	Peaches	0.04	0.1
	Plums	0.02	0.03
Berries and small fruits	Table grapes, wine grapes	0.3	0.8
Miscellaneous fruit	Kaki/ Japanese persimmons	0.01*	0.05
Fruiting vegetables	Tomatoes, aubergines/ eggplants	0.2	0.3
	Sweet peppers/ bell peppers	0.01*	0.3
	Courgettes	0.01*	0.08
Hops		15	20

* Limit of determination.
Source: based on Commission Regulations (EU) 2022/1343 and (EU) 2023/127



 www.agrinfo.eu

Disclaimer: Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole

risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.