

Maximum residue levels for benalaxyl

Published by AGRINFO on 30 Jan 2023

EU marginally reduces MRLs for benalaxyl on tomatoes and aubergines from August 2023

Commission Regulation (EU) [2023/128](#) of 18 January 2023 amending Annexes II, III and V to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for benalaxyl, bromoxynil, chlorsulfuron, epoxiconazole and fenamiphos in or on certain products

Update

The EU has marginally reduced the maximum residue levels (MRLs) for benalaxyl (including other mixtures of constituent isomers including benalaxyl-M) on tomatoes and aubergines/eggplants. MRLs for grapes, melons, watermelons and lettuces remain unchanged.

Impacted products

tomatoes, aubergines/eggplants

What is changing?

The changes to MRLs are set out in Table 1.

Why?

Use of the active substance benalaxyl is no longer approved in the EU since 31 July 2021. However, benalaxyl-M is an active substance that is approved for use in the EU.

The EU MRL for benalaxyl takes into account authorised and safe uses of benalaxyl-M. Existing MRLs are therefore maintained for table grapes, potatoes, garlic, onions, slots, watermelons, lettuce and leeks.

The MRLs for the authorised use of benalaxyl-M on tomatoes and aubergines are lower than those previously established for benalaxyl. This Regulation amends those MRLs to reflect authorised uses of benalaxyl-M.

Timeline

The new MRLs will apply from 8 August 2023.

Recommended Actions

Suppliers of tomatoes and aubergines/ eggplants should assess whether the reduction of the benalaxyil MRL from 0.5 to 0.3 mg/kg has any implications for ensuring compliance.

Background

MRLs are set in accordance with the rules set out in Regulation [396/2005](#). For information on current MRLs for other substances, please consult the [EU Pesticide Residues database](#).

Sources

Commission Regulation (EU) [2023/128](#)

Visit the [AGRINFO website](#) to view the latest AGRINFO Update newsletters and [search](#) the database.

Table & Figures

Table 1 Maximum residue levels for benalaxy			
Food category	Products	Benalaxy ¹ (mg/kg)	
		Old MRL	New MRL
Fruiting vegetables	Tomatoes	0.5	0.3
	Aubergines/ eggplants	0.5	0.3

1 Benalaxy including other mixtures of constituent isomers including benalaxy-M (sum of isomers).
Source: based on [SANTE/10176/2022 rev.2](#)




www.agrinfo.eu

Disclaimer: Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.