

THE LATEST ON EU AGRI-FOOD POLICIES IMPACTING LOW-INCOME & MIDDLE-INCOME COUNTRIES

Maximum residue levels for cycloxydim

Published by AGRINFO on 30 Nov 2022; Revised 17 Apr 2025

EU increases MRLs for cycloxydim

Commission Regulation (EU) <u>2025/581</u> of 27 March 2025 amending Annexes II and IV to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for cycloxydim, dichlorprop-P, flupyradifurone, methyl nonyl ketone, plant oils/citronella oil, potassium sorbate and potassium phosphonate in or on certain products

Update

The EU has increased the maximum residue levels (MRLs) for cycloxydim on pome fruits, peas, maize, and sugar beet roots.

Impacted products

Pears, quinces, medlars, loquats/Japanese medlars, peas (with pods), maize/corn, sugar beet roots

What is changing?

The changes to cycloxydim maximum residue levels (MRLs) are set out in Table 1.

Why?

Following a request for modification of the MRLs for cycloxydim on some products, the European Food Safety Authority (<u>EFSA 2024</u>) has concluded the data are sufficient to support the proposed MRLs for pome fruits, peas, maize/corn, and sugar beet roots.

Timeline

The new MRLs apply from 17 April 2025.





THE LATEST ON EU AGRI-FOOD POLICIES IMPACTING LOW-INCOME & MIDDLE-INCOME COUNTRIES

Background

MRLs are set in accordance with the rules set out in Regulation <u>396/2005</u>. For information on current MRLs for other substances, please consult the <u>EU Pesticide Residues database</u>.

Resources

EFSA (2024) Modification of the existing maximum residue levels for cycloxydim in various crops. EFSA Journal, 22(9): e8996.

Sources

Commission Regulation (EU) <u>2025/581</u> as regards maximum residue levels for cycloxydim, dichlorprop-P, flupyradifurone, methyl nonyl ketone, plant oils/citronella oil, potassium sorbate and potassium phosphonate in or on certain products

Visit the <u>AGRINFO website</u> to view the latest AGRINFO Update newsletters and <u>search</u> the database.



THE LATEST ON EU AGRI-FOOD POLICIES IMPACTING LOW-INCOME & MIDDLE-INCOME COUNTRIES

Table & Figures

Table 1 Changes to maximum residue levels for cycloxydim			
Food category	Products	Cycloxydim (mg/kg)	
		Old MRL	New MRL
Pome fruits	Pears	0.09*	0.4
	Quinces	0.09*	0.4
	Medlars	0.09*	0.4
	Loquats/Japanese medlars	0.09*	0.4
Legume vegetables	Peas (with pods)	2	9
Cereals	Maize/corn	0.2	0.3
Sugar plants	Sugar beet roots	0.2	0.3
* Limit of determination. **Display: AGRINFO WWW.agrinfo.eu			

Source: based on Commission Regulation 2025/581

Disclaimer: Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.