

Maximum residue levels for cyflumetofen

Published by AGRINFO on 30 Nov 2022; Revised 04 Jul 2025

Commission Regulation (EU) [2025/1164](#) as regards maximum residue levels for cyantraniliprole, cyflumetofen, deltamethrin, mefentrifluconazole, mepiquat and oxathiapiprolin in or on certain products

What is changing and why?

The European Union (EU) has raised the maximum residue levels (MRLs) for cyflumetofen on cherries from 0.01 mg/kg (the limit of determination, LOD) to 0.4 mg/kg. (The LOD is the lowest level that can be detected using the most modern and reliable analytical methods.) The EU has also raised the MRLs for cyflumetofen on cucumbers, from 0.4 to 0.5 mg/kg. This is in line with the new Codex MRLs (CXLs).

In January 2024, the EU raised the MRLs for cyflumetofen on gherkins and courgettes from 0.01 to 0.4 mg/kg.

Timeline

The new MRLs for cyflumetofen on cherries and cucumbers apply from **6 July 2025**.

For more information see the [full record](#) on the AGRINFO website – where you can also view the latest [AGRINFO Update](#) newsletters and [search](#) the database.

Disclaimer: Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.