

## Maximum residue levels for cyfluthrin



*Published by AGRINFO on 06 Feb 2023*

For more information see the [full record](#) on the AGRINFO website – where you can also view the latest [AGRINFO Update](#) newsletters and [search](#) the database.

## Tables & Figures

Table 1 Maximum residue levels for cyfluthrin			
Food category	Products	Cyfluthrin <sup>1</sup> (mg/kg)	
		Old MRL	New MRL
Citrus fruits	Grapefruits, oranges, lemons, limes, mandarins	0.02*	0.3
Pome fruits	Apples, pears	0.2	0.1
	Quinces, medlars, loquats/ Japanese medlars	0.2	0.01*
Stone fruits	Apricots, peaches	0.3	0.01*
	Cherries, plums	0.2	0.01*
Berries and small fruits	Table grapes, wine grapes	0.3	0.01*
Root and tuber vegetables	Potatoes	0.04	0.01*
Fruiting vegetables	Tomatoes	0.05	0.2
	Sweet peppers/ bell peppers	0.3	0.2
	Aubergines/ eggplants	0.1	0.2
	Okra/ lady's fingers	0.02*	0.01*
	Cucumbers, gherkins, courgettes	0.1	0.01*
	Melons, pumpkins, watermelons, sweet corn	0.02*	0.01*
Brassica vegetables	Broccoli, cauliflowers	0.05	0.01*
	Brussels sprouts	0.2	0.01*
	Head cabbages	0.3	0.08
	Chinese cabbages/ pe-tsai, kales	0.3	0.01*
	Kohlrabies	0.02*	0.01*
Leaf vegetables, herbs and edible flowers	Lamb's lettuce/ corn salad, lettuces, escaroles/ broad-leaved endives, cresses and other sprouts and shoots, land cresses, Roman rocket/ rucola, red mustards, baby leaf crops	1	0.01*
	Spinaches, chards/ beet leaves, grape leaves, watercresses, witloofs/ Belgian endives, herbs and edible flowers	0.02*	0.01*
	Purslanes	0.5	0.01*
Legume vegetables	Beans (with pods)	0.1	0.01*
	Beans (without pods), peas (without pods), lentils	0.05	0.01*
	Peas (with pods)	0.1	0.01*

*continued*

Table 1 continued			
Food category	Products	Cyfluthrin <sup>1</sup> (mg/kg)	
		Old MRL	New MRL
Stem vegetables	Asparagus, cardoons, celeries, Florence fennels, leeks, rhubarbs, bamboo shoots, palm hearts	0.02*	0.01*
	Globe artichokes	0.2	0.01*
Oilseeds	Linseeds, peanuts/ groundnuts, poppy seeds, sesame seeds, sunflower seeds, mustard seeds, pumpkin seeds, safflower seeds, borage seeds, gold of pleasure seeds, hemp seeds, castor beans	0.02*	0.01*
	Rapeseeds/ canola seeds	0.05	0.07
	Cotton seeds	0.02*	0.7
Cereals	Buckwheat and other pseudocereals, common millet/ proso millet, rice, sorghum	0.02*	0.01*
	Maize/ corn	0.05*	0.01*
	Oat	0.3	0.01*
	Rye	0.4	0.01*
Hops	Hops	20	0.01*
Spices	Seed spices, bark spices, bud spices, flower pistil spices, aril spices	0.1*	0.05*
	Fruit spices (allspice/pimento, Sichuan pepper, caraway, cardamom, juniper berry, peppercorn (black, green and white), vanilla, tamarind	0.1*	0.03
	Liquorice, turmeric/ curcuma	0.1*	0.05
Sugar plants	Sugar beet roots	0.5	0.01*
	Sugar canes, chicory roots	0.02*	0.01*
Commodities from swine/ bovine/ sheep/ goat/ equine/other terrestrial animals	Muscle	0.05	0.01
	Liver, kidney	0.05	0.02
	Edible offals	0.05	0.2
Milk	Horse	0.02	0.01
<sup>1</sup> Cyfluthrin including other mixtures of constituent isomers including cyflumetofen-M (sum of isomers). * Limit of determination. Shading indicates a decrease in MRL.			
  www.agrinfo.eu			

Source: based on Commission Regulation (EU) 2023/173

**Disclaimer:** *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.*