


# Maximum residue levels for cyromazine

*Published by AGRINFO on 30 Jan 2023*

For more information see the [full record](#) on the AGRINFO website – where you can also view the latest [AGRINFO Update](#) newsletters and [search](#) the database.

## Tables & Figures

Table 1 Maximum residue levels for cyromazine			
Food category	Products	Cyromazine (mg/kg)	
		Old MRL	New MRL
Fruiting vegetables	Sweet peppers/bell peppers	1.5	0.01*
	Tomatoes, aubergines/eggplants	0.6	0.01*
	Cucumbers, gherkins, courgettes	2	0.01*
	Melons, pumpkins, watermelons	0.4	0.01*
Leaf vegetables, herbs and edible flowers	Lamb's lettuces/corn salads, chervil, chives, celery leaves, parsley, sage, rosemary, thyme, basil and edible flowers, laurel/bay leaves, tarragon	15	0.01*
	Lettuces, cresses and other sprouts and shoots, land cresses, Roman rocket/rucola, red mustards, baby leaf crops, spinaches, purslanes, chards/beet leaves	3	0.01*
Legume vegetables	Beans (with pods), peas (with pods)	5	0.01*
Stem vegetables	Celeries	3	0.01*
Fungi, mosses and lichens	Cultivated fungi	10	0.01*
* Limit of determination. Source: based on <a href="#">SANTE/10088/2022</a>			
 <a href="http://www.agrininfo.eu">www.agrininfo.eu</a>			

**Disclaimer:** *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.*