

Maximum residue levels for folpet

Published by AGRINFO on 05 Jun 2023

EU increases MRL for folpet on lettuces

Commission Regulation (EU) [2023/1042](#) of 26 May 2023 amending Annex II to Regulation (EC) No 396/2005 of the European Parliament and of the Council as regards maximum residue levels for folpet in or on certain products

Update

The EU has increased the maximum residue level (MRL) for folpet on lettuces to 1.5 mg/kg.

Impacted products

lettuces

What is changing?

The EU has increased the MRL for folpet on lettuces from the limit of determination (LOD, the lowest level that can be detected using the most modern and reliable analytical methods) of 0.03 to 1.5 mg/kg.

Why?

An application was submitted to request a modification of the MRL for folpet in lettuces. [EFSA \(2022\)](#) assessed the application and concluded the requested MRL is safe for consumers.

Timeline

The Regulation enters into force on **19 June 2023** and is directly applicable.

Background

MRLs are set in accordance with the rules set out in Regulation [396/2005](#). For information on current MRLs for other substances, please consult the [EU Pesticide Residues database](#).

Resources

EFSA (2022) [Modification of the existing maximum residue level for folpet in lettuces](#). *EFSA Journal*, 20(4): 7309.

Sources

Commission Regulation (EU) [2023/1042](#) on maximum residue levels for folpet

Visit the [AGRINFO website](#) to view the latest AGRINFO Update newsletters and [search](#) the database.

Disclaimer: *Under no circumstances shall COLEAD be liable for any loss, damage, liability or expense incurred or suffered that is claimed to have resulted from the use of information available on this website or any link to external sites. The use of the website is at the user's sole risk and responsibility. This information platform was created and maintained with the financial support of the European Union. Its contents do not, however, reflect the views of the European Union.*